ELSEVIER

Journal of Magnetism and Magnetic Materials 157/158 (1996) 735–752

journal of magnetism and magnetic materials

# Author index to volumes 157/158

Abell, J.S., see Ruiz de Angulo, L. 508
Acher, O., P. Baclet, G. Perrin, O. Roblin and P. Le Gourriérec, Investigation of the microwave permeability of ferromagnetic film laminations under a magnetic field 480
Acher, O., see Suran, G. 223
Acher, O., see Perrin, G. 289
Ahmad, I., H.A. Davies and R.A. Buckley, The effect of Nd content on the structure and properties of melt spun Nd-rich NdFeB alloys 31
Ahmed, F.M., A. Ataie, A.J. Williams and I.R. Harris, Effect of niobium on the HDDR behaviour of near-stoichiometric NdFeB alloys 59
Aikawa, T., see Fukunaga, H. 105
Aindow, M., see O'Donnell, K. 79
Albertini, F., A. Deriu, D. Negri, A. Paoluzi, L. Pareti, M. Monciardini, G. Calestani, O. Moze and R. Sonntag, Magnetic and Mössbauer study of $(Fe_{1-x}Co_x)_{3.34}Ge_2$ 655
Albertini, F., see Solzi, M. 85
Albertini, F., see Pareti, L. 87
Alcalá, E.M., C. Aroca, E. López, M.C. Sánchez and P. Sánchez, A pressure and distance sensor based on magnetic circuits 436
Alcalá, E.M., see Dufour, J. 125
Alexandru, D., see Ardelean, I. 239
Algarabel, P.A., A. del Moral, R. Krewenka, J.A. Solera and R. Grössinger, Magnetostriction of the $SmCo_5$ hexagonal intermetallic 521
Algarabel, P.A., see Arnold, Z. 81
Algarabel, P.A., see Pareti, L. 87
Algarabel, P.A., see Nagamine, L.C.C.M. 111
Algarabel, P.A., see Kamarád, J. 381
Aliaga-Guerra, D., S. Gama and A.P. Guimarães, $^{57}Fe$ NMR study of nitrided $Ce_2Fe_{17}$ 186
Allia, P., F. Ghigo, M. Knobel, P. Tiberto and F. Vinai, Grain size distribution in granular $Cu_{100-x}Co_x$ through anhysteretic magnetisation curve analysis 319
Almeida, B.G., J.B. Sousa, R. Schad, V.V. Moshchalkov and Y. Bruynseraede, Phonon-assisted sd electron scattering in Fe/Cr multilayers 730
Almeida, M., see Godinho, M. 690
Almeida, M., see Gonçalves, A.P. 692
Amado, M.M., see Pinto, R.P. 698
Amaral, V.S., see de Azevedo, M.M.P. 276
Amaro, A., see Gonçalves, A.P. 692
Andreev, A.V., see Cuong, T.D. 694
Andreica, D., see Coldea, M. 627
Anghelache, R., see Rezlescu, N. 673
Aoki, H., see Kido, G. 550
Ardelean, I., O. Cozar, V. Simon and S. Filip, Magnetic properties of $xCr_2O_3 \cdot (1-x)[Bi_2O_3 \cdot PbO]$ glasses 165
Ardelean, I., M. Peteanu, S. Filip and D. Alexandru, The valence states and magnetic interactions between manganese ions in $TeO_2$–$PbO$–$B_2O_3$ glasses 239
Arnaudas, J.I., see de la Fuente, C. 535
Arnaudas, J.I., see del Moral, A. 539
Arnold, Z., M.R. Ibarra, L. Morellon, P.A. Algarabel and J. Kamarád, The effect of pressure on the magnetic phase transitions in $Nd_2(FeTi)_{17}$ and $Nd(FeTi)_{12}$ compounds 81
Arnold, Z., see Kamarád, J. 381
Arnold, Z., see Cuong, T.D. 694
Aroca, C., see Rodríguez, M. 177
Aroca, C., see Favieres, C. 329
Aroca, C., see Alcalá, E.M. 436
Aroca, C., see Prieto, J.L. 449
Arons, R.R., see Brück, E. 395
Artz, H., see von Staa, F. 23
Artz, H., see von Staa, F. 25
Asada, T., N. Hamada, T. Oguchi, K. Terakura and T. Hoshino, First principles calculation of $c/a$ for first kind antiferromagnets 343
Asada, T., see Hoshino, T. 717
Asano, H., see Perthold, W. 649
Asti, G. and M. Solzi, Alternating field gradient susceptometer 559
Asti, G., see Solzi, M. 85
Asti, G., see Turilli, G. 371
Ataie, A., see Ahmed, F.M. 59
Atalay, S., P.T. Squire, D. Atkinson and S.N. Hogsdon, Magnetoelastic properties of annealed $Co_{72.5}Si_{12.5}B_{15}$ amorphous wires 145
Atallah, K., see Baholo, B. 444
Atkinson, D. and P. Duhaj, Magnetoelastic behaviour of amorphous bimetallic ribbons 156
Atkinson, D., see Atalay, S. 145
Atkinson, R., see Gerber, R. 295
Außerlechner, U., P. Kasperkovitz and W. Steiner, Distribution of magnetization in granular samples 579

0304-8853/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Ayuyan, A.G., see Lileev, A.S. 373
Azanza, M.J. and A. del Moral, Isolated neuron amplitude spike decrease under static magnetic fields 593

Baclet, P., see Acher, O. 480
Bacmann, M., see Tomey, E. 113
Bacmann, M., see Tomey, E. 115
Bacmann, M., see Tobola, J. 708
Badurek, G., see Sinnecker, J.P. 183
Badurek, G., see Lientschnig, G. 525
Badurek, G., see Hochhold, M. 575
Baholo, B., K. Atallah, P.H. Mellor, D. Howe, M.A. Mueller, T.J. Flack and S. Williamson, Effect of high frequency flux ripple on iron loss in induction machines 444
Balbashov, A.M., see Mukhin, A.A. 496
Ballou, R., see Burzo, E. 631
Baltag, O., D. Costandache and C. Cotae, Behaviour of some nonlinear devices with ferrofluids 591
Baran, M., see Szymczak, R. 667
Baran, M., see Szymczak, R. 706
Barandiarán, J.M., see Gorria, P. 203
Barandiarán, J.M., see Gutiérrez, J. 543
Baranov, N.V., P.E. Markin, S.V. Zemlyanski, H. Michor and G. Hilscher, Giant magnetoresistance in antiferromagnetically ordered FeRh and $Mn_2Sb$ based alloys 401
Baranov, N.V., V.I. Pushkarski, A.E. Sviderski and H. Sassik, Magnetic properties of liquid quenched $R_3Co$ alloys 635
Barariu, F., see Chiriac, H. 229
Barberis, G.E., see Rojo, J.M. 493
Bartolomé, F., J. Bartolomé and J. Blasco, Magnetic order of $Nd^{3+}$ in $NdAlO_3$ 491
Bartolomé, J., see Luis, F. 266
Bartolomé, J., see Bartolomé, F. 491
Basso, V., G. Bertotti, P. Duhaj, E. Ferrara, V. Haslar, L. Kraus, J. Pokorny and K. Zaveta, Microstructural and magnetic investigation of partially crystallized amorphous ribbons 217
Baszyński, J., see Szajek, A. 723
Batlle, X., M. García del Muro, A. Labarta and P. Görnert, Magnetic relaxation and superparamagnetism in nanocrystalline ferrites 191
Baudelet, F., see Pizzini, S. 313
Bauer, E., see Schaper, F.-W. 613
Bauer, E., see Hauser, R. 679
Bauer, E., see Forsthuber, M. 681
Bauer, E., see Spolenak, R. 715
Bausk, N.V., see Erenburg, S.B. 595
Bazhan, A.N., Three coordinate vibrating sample magnetometer 569
Beatrice, C., see Magni, A. 353
Becker, Ch., J. Hafner and R. Lorenz, Local spin-density theory of spin-glasses 619
Beránková, P., see Kučera, M. 323
Beránková, P., see Kučera, M. 700

Bergmann, H.W., see Martín, V.E. 51
Bernardi, J., A. Hütten and G. Thomas, Electron microscopy of giant magnetoresistive granular Au–Co alloys 153
Bertotti, G., see Basso, V. 217
Bertotti, G., see Magni, A. 353
Bertotti, G., see Půst, L. 355
Binesti, D., see Tanguy, A. 37
Bitu, M., see Coldea, M. 627
Blaha, P., see Spolenak, R. 715
Blanco, J.A., see García Soldevilla, J. 624
Blanco, J.A., see Espeso, J.I. 685
Blasco, J., see Bartolomé, F. 491
Bobo, J.F., see Pizzini, S. 313
Bolnykh, I.K., see Sever, G.N. 473
Bolzoni, F., D.S. Schmool and A. Serraj, On the extension of the singular point detection technique towards very high pulsed fields 573
Bolzoni, F., see Solzi, M. 85
Bonfait, G., see Godinho, M. 690
Borkovskih, V.A., see Savin, V.V. 49
Borodin, V., see Savosta, M. 523
Borstel, G., see Chełkowska, G. 719
Boscher, C., see Suran, G. 223
Bottoni, G., Time-dependent magnetic behaviour and magnetization switching of magnetic recording particles 270
Brabers, J.H.V.J., C.H. de Groot, K.H.J. Buschow and F.R. de Boer, Susceptibility of $(Gd,La)Mn_2(Ge,Si)_2$ compounds in the magnetically ordered regime 639
Brabers, V.A.M., see Kawai, Y. 537
Braga, M.E., see Pinto, R.P. 698
Brand, R.A., see Tappert, J. 317
Brando, E., H. Vincent, J.L. Soubeyroux and P. Wolfers, Magnetic properties, X-ray and neutron diffraction analysis of new M-hexaferrites $BaFe_{12-2x}Ir_xMe_xO_{19}$ (Me = Co, Zn) 465
Bras, J., see Tanguy, A. 37
Brennan, S., X.-L. Rao, R. Skomski, N. Dempsey and J.M.D. Coey, Magnetic properties of $Sm_2Fe_{17}N_x$, $x = 3.9$ 510
Brommer, P.E., Magnetic phase diagrams for three coupled magnetic moments 349
Brommer, P.E., see Thang, C.V. 643
Brommer, P.E., see Thang, C.V. 645
Brück, E., R.R. Arons, K.H.J. Buschow and F.R. de Boer, Magnetic properties and structure of MnPtAl 395
Brück, E., see Thang, C.V. 643
Bruynseraede, Y., see Almeida, B.G. 730
Brzózka, K., M. Gawroński and K. Jezuita, Influence of chemical disorder on the critical behaviour of FeNi-based amorphous ferromagnets 167
Bucher, P., see Zangari, G. 256
Buckley, R.A., see Ahmad, I. 31
Bugoslavsky, Yu.V., V.A. Kovalsky, A.A. Minakov, H. Kojima and I. Tanaka, Orientation of the flux line lattice in anisotropic superconductors 671

Burkhardt, C., F. Dimc and I.R. Harris, A new method for in-situ magnetisation measurements during hydrogenation of RE–Fe–B type materials 127
Burriel, R., see Melero, J.J. 651
Buršík, J., Z. Šimša, L. Štichauer and R. Tesař, Magneto-optical properties of Co- and Ti-substituted hexagonal ferrite films prepared by the sol–gel method 311
Burzo, E., V. Pop and I. Costina, Spin fluctuations in the $YNi_{5-x}Cu_x$ system 615
Burzo, E., V. Pop and R. Ballou, Magnetic properties of $Y_3Co_{11-x}Ni_xB_4$ compounds 631
Burzo, E., see Kappel, W. 35
Burzo, E., see Valeanu, M. 381
Burzo, E., see Tetean, R. 633
Burzo, E., see Lupsa, I. 696
Buschow, K.H.J., see Kapusta, Cz. 109
Buschow, K.H.J., see Middleton, D.P. 385
Buschow, K.H.J., see Brück, E. 395
Buschow, K.H.J., see Tang, N. 397
Buschow, K.H.J., see Li, Q.A. 399
Buschow, K.H.J., see Marquina, C. 403
Buschow, K.H.J., see de Boer, F.R. 504
Buschow, K.H.J., see Brabers, J.H.V.J. 639
Buschow, K.H.J., see de Groot, C.H. 641
Butvin, P., G. Vlasák, B. Butvinová and P. Švec, Magnetic polarization and magnetostriction in nearly saturated FeNbCuSiB alloys 189
Butvinová, B., see Butvin, P. 189

Cagan, V., see Lisfi, A. 258
Calestani, G., see Albertini, F. 655
Callegaro, L., see Vavassori, P. 171
Callegaro, L., see Zangari, G. 256
Cao, L., A. Handstein, L. Schultz and K.-H. Müller, Microstructural and magnetic properties of $Sm_2Fe_{15}Ga_2C_2$ permanent magnets 95
Carrizo, J., see Tejedor, M. 179
Cavallotti, P.L., see Zangari, G. 256
Čerňanský, M., see Gerber, R. 295
Chalmers, B.J., Developments in electrical machines using permanent magnets 131
Chamberod, A., see Tanguy, A. 37
Chandrasekhar, R. and D.J. Mapps, Preparation and characterisation of sandwich type barium hexa-ferrite thin films 326
Chang, C.-R., see Lee, C.-M. 129
Chang, W.C., S.L. Lu, S.K. Chen and C.H. Yu, Magnetic properties of $Y_2Fe_{17-x}M_xC_y$ compounds (M = Ga, Al and Si) 89
Chantrell, R.W., G.N. Coverdale, M. El Hilo and K. O'Grady, Modelling of interaction effects in fine particle systems 250
Chapman, J.N., see Valera, M.S. 555
Chatterjee, N., see Giri, S. 411
Chaudouët, P., see Febri, M. 103
Chełkowska, G., H. Ufer, G. Borstel and M. Neumann, Electronic structure investigations of the $Gd(Al_{1-x}M_x)_2$ Laves phase system with M = V, Ti 719
Chełkowska, G., see Drzazga, Z. 107
Chen, S.K., see Chang, W.C. 89
Chenevier, B., see Febri, M. 215
Chevalier, B., see Pinto, R.P. 698
Chiriac, H., T.A. Óvári and Gh. Pop, Magnetic behavior of glass-covered amorphous wires 227
Chiriac, H., E. Hristoforou, M. Neagu, I. Darie and F. Barariu, Dependence of the sound velocity in $Fe_{77.5}Si_{7.5}B_{15}$ amorphous wires on the magnetic bias field 229
Chiriac, H., see Hristoforou, E. 451
Chmist, J., see Turek, K. 65
Chomič, J., see Orendáčová, A. 583
Ciccacci, F., see De Rossi, S. 287
Cieślak, J., see Dubiel, S.M. 653
Ciobotaru, I., see Rezlescu, N. 673
Ciprian, D., see Pištora, J. 283
Ciria, M., see de la Fuente, C. 535
Ciria, M., see del Moral, A. 539
Ciureanu, P., P. Rudkowski, G. Rudkowska, D. Menard, J.F. Currie, J.O. Ström-Olsen and A. Yelon, The magnetoimpedance effect in rapidly solidified soft magnetic fibers 432
Coey, J.M.D., see O'Donnell, K. 79
Coey, J.M.D., see Kobayashi, K. 97
Coey, J.M.D., see Dempsey, N.M. 99
Coey, J.M.D., see Ranno, L. 291
Coey, J.M.D., see Brennan, S. 510
Coey, J.M.D., see Rao, X.-l. 704
Coldea, M., D. Andreica, M. Bitu and V. Crisan, Spin fluctuations in $YNi_5$ and $CeNi_5$ 627
Colpa, J.H.P., see Kayzel, F.E. 409
Colpa, J.H.P., see Thang, C.V. 643
Corma, A., see García, J.L. 272
Cornejo, D.R., F.P. Missell and J.M. González, Magnetization reversal on recoil curves in $SmCo_5$ and nanocrystalline SmFeCo 529
Cosma, I., see Culea, E. 163
Costandache, D., see Baltag, O. 591
Costina, I., see Burzo, E. 615
Cotae, C., see Baltag, O. 591
Coverdale, G.N., see Chantrell, R.W. 250
Cozar, O., see Ardelean, I. 165
Craus, M.L., see Rezlescu, E. 487
Crespo, P., see Neu, V. 61
Crespo, P., see Zhukov, A. 143
Crisan, O., see Seqqat, M. 225
Crisan, V., see Coldea, M. 627
Cristea, L., see Seqqat, M. 225
Culea, E., A. Pop and I. Cosma, Magnetic behaviour of $xGd_2O_3 \cdot (1-x)Na_2O \cdot 2B_2O_3$ glasses 163
Cuong, T.D., Z. Arnold, J. Kamarád, A.V. Andreev, L. Havela and V. Sechovský, Composition and volume dependence of magnetism in $URu_{1-x}Rh_xAl$ and $URuAl_{1-y}Sn_y$ 694

Currie, J.F., see Ciureanu, P. 432
Czapkiewicz, M., see Wójcik, M. 220
Czechowski, G., see Koneracká, M. 589
Czopnik, A., see Grechnev, G.E. 677
Czopnik, A., see Grechnev, G.E. 702

Darie, I., see Chiriac, H. 229
Davies, H.A., Nanocrystalline exchange-enhanced hard magnetic alloys 11
Davies, H.A., see Liu, J.F. 29
Davies, H.A., see Ahmad, I. 31
Davies, H.A., see Leonowicz, M. 45
Daykin, A.C., see Newnham, S.J. 39
de Azevedo, M.M.P., V.S. Amaral, J.B. Sousa and P.P. Freitas, Temperature dependence of the electrical resistivity and magnetoresistance of $Co/Au_{1-x}Cu_x$ multilayers 276
de Boer, F.R., Z.G. Zhao and K.H.J. Buschow, 4f–3d interaction and magnetic anisotropy in $ThMn_{12}$-type rare-earth transition-metal compounds 504
de Boer, F.R., see Solzi, M. 85
de Boer, F.R., see Brück, E. 395
de Boer, F.R., see Tang, N. 397
de Boer, F.R., see Li, Q.A. 399
de Boer, F.R., see Brabers, J.H.V.J. 639
de Boer, F.R., see de Groot, C.H. 641
Dederichs, P.H., see Hoshino, T. 717
de Francisco, C., see Hernández, P. 123
De Gasperis, P., see Marcelli, R. 471
Degauque, J., see Tanguy, A. 37
de Groot, C.H., K.H.J. Buschow and F.R. de Boer, Reentrant ferromagnetism in the $ThFe_{3-x}Al_x$ system 641
de Groot, C.H., see Brabers, J.H.V.J. 639
de Haan, P., see Kamberský, V. 301
de la Bâthie, R.P., see Liesert, S. 57
de la Fuente, C., J.I. Arnaudas, A. del Moral and M. Ciria, Magnetic and magnetoelastic properties of the random anisotropy amorphous magnets $Tb_2(Fe_xNi_{1-x})$ 535
del Moral, A., J.I. Arnaudas, M. Ciria, M.R. Wells and R.C.C. Ward, Magnetoelasticity of holmium–yttrium superlattices 539
del Moral, A., see Algarabel, P.A. 521
del Moral, A., see de la Fuente, C. 535
del Moral, A., see Azanza, M.J. 593
Dempsey, N., see Brennan, S. 510
Dempsey, N.M., P.A.P. Wendhausen, B. Gebel, K.-H. Müller and J.M.D. Coey, Improvement of the magnetic properties of HDDR $Sm_2Fe_{17}N_3$ 99
De Paepe, A., see Eloot, K. 459
de Rango, P., see Liesert, S. 57
Deriu, A., see Albertini, F. 655
De Rossi, S., A. Tagliaferri and F. Ciccacci, Spin polarization of Ag/Fe(100) quantum well empty states 287
Derzhko, O., T. Krokhmalskii and T. Verkholyak, Thermodynamical properties of a random spin-1/2 $XY$ chain with Dzyaloshinskii–Moriya interactions 421
Diaconu, E.-D., see Moldovanu, A. 442
Dilewijns, J., see Eloot, K. 459
Dimc, F., see Burkhardt, C. 127
Ding, J., see McCormick, P.G. 7
Dobrovitski, V.V. and A.K. Zvezdin, Quantum tunnelling of the domain wall in a weak ferromagnet 419
Dormann, J.L., see Seqqat, M. 225
Dormann, J.L., see Seqqat, M. 489
Doroshev, V., V. Krivoruchko, M. Savosta, A. Shestakov and T. Tarasenko, Pressure effect on the Néel temperature in $La_2CuO_4$ 669
Doroshev, V., see Savosta, M. 523
Draxler, K. and R. Styblíková, Use of nanocrystalline materials for current transformer construction 447
Driouch, L., R. Krishnan and J. Voiron, High field magnetisation studies in amorphous Co–Dy–B alloys 149
Driouch, L., see Ravach, G. 173
Drzazga, Z., A. Winiarska and G. Chełkowska, Magnetocrystalline anisotropy in $DyFe_{12-x}V_x$ intermetallics and their carbides 107
Dubenko, I.S., S.A. Granovskiy, E. Gratz, R.Z. Levitin, A. Lindbaum and A.S. Markosyan, Enhanced paramagnetic thermal expansion of the intermetallic compounds $Y_6(Mn_{1-x}Fe_x)_{23}$ 629
Dubiel, S.M., J. Cieślak and F.E. Wagner, Mössbauer-effect study of the influence of vanadium on spin- and charge-density waves of chromium 653
Duc, N.H. and D. Givord, Exchange interactions in amorphous Gd–Co alloys 169
Dufour, J., R. Latorre, E.M. Alcalá, C. Negro, A. Formoso and F. López-Mateos, Synthesis of M-type hexaferrites from steel pickling liquors (ID 109) 125
Duhaj, P., see Atkinson, D. 156
Duhaj, P., see Kaczkowski, Z. 199
Duhaj, P., see Basso, V. 217
Dunlop, J.B., see Müller, K.-H. 117
Durin, G., see Magni, A. 353
Duša, O., see Kováč, J. 197
Dyogteva, O.B., see Pastushenkov, Yu.G. 67

Ebothe, J., see Vilain, S. 274
Eckert, D., P.A.P. Wendhausen, B. Gebel, M. Wolf and K.-H. Müller, Comparison of magnetization processes in differently prepared $Sm_2Fe_{17}N_3$ permanent magnets 93
Eckert, D., see Hinz, D. 43
Eckert, J., see Neu, V. 61
Egoyan, A.E., see Mukhin, A.A. 496
Eichler, A., see Schaper, F.-W. 613
El Hilo, M., see Chantrell, R.W. 250
Elk, K., The transverse susceptibility of textured polycrystals 369
Eloot, K., A. De Paepe, J. Dilewijns and C. Standaert, Relation between magnetic properties and changes in dislocation and cell structure due to cold deformation 459
Englich, J., see Štěpánková, H. 393
Enichlmair, H., see Krenn, H. 561
Ercuta, A., see Mihalca, I. 161

Eremenko, V., V. Fomin and V. Kurnosov, Analysis of two-magnon Raman scattering in quasi-one-dimensional chain antiferromagnet $CsMnCl_3 \cdot 2H_2O$ 484
Erenburg, S.B., N.V. Bausk, V.A. Varnek and L.G. Lavrenova, Influence of the electronic and spatial structure parameters on the spin-transition temperature in unusual chain iron(II) complexes 595
Esguerra, M., Computation of minor hysteresis loops from measured major loops 366
Espeso, J.I., J.A. Blanco, M. Reiffers, J. Rodríguez Fernández and J.C. Gómez Sal, New aspects of the magnetic evolution of the $CeNi_{1-x}Pt_x$ system 685
Espeso, J.I., see García Soldevilla, J. 624
Estrela, P., see Godinho, M. 690
Étourneau, J., see Pinto, R.P. 698
Ezekwenna, P., see Kramp, S. 73
Ezekwenna, P., see Febri, M. 103

Fagot, M., see Tanguy, A. 37
Farberovich, O.V., see Kurkina, L.I. 725
Farley, A.N., see Valera, M.S. 555
Farley, A.N., see Tomlinson, S.L. 557
Fastenau, R.H.J. and E.J. van Loenen, Applications of rare earth permanent magnets 1
Favieres, C., M.C. Sánchez, E. López, P. Sánchez and C. Aroca, Influence of substrate geometry on the magnetic properties of CoP cylindrical multilayers 329
Febri, M., P. Ezekwenna, P. Chaudouët, Ph. l'Héritier and J.C. Joubert, A new method of nitrogenation of RE–TM alloys via chemical reaction with sodium azide as an oxygen-free nitrogen source 103
Febri, M., B. Chenevier and J.C. Joubert, Synthesis of soft ferromagnetic nanocomposites by controlled diffusion-segregation in $Nd_2(Fe,Co)_{14}B$ 215
Febri, M., see Kramp, S. 73
Feher, A., see Orendáčová, A. 583
Felner, I., Itinerant ferromagnetism in the Y–Ni–B–C system 622
Fernández-Gubieda, M.L., see Gorria, P. 203
Fernengel, W., A. Lehnert, M. Katter, W. Rodewald and B. Wall, Examination of the degree of alignment in sintered Nd–Fe–B magnets by measurements of the remanent polarizations 19
Fernengel, W., see Velicescu, M. 47
Ferrara, E., see Basso, V. 217
Feutrill, E.H., see McCormick, P.G. 7
Fidler, J., see Matzinger, M. 54
Fidler, J., see Schrefl, T. 331
Figiel, H., see Turek, K. 65
Figiel, H., see Kapusta, Cz. 109
Filimonov, D.S., see Koroleva, L.I. 475
Filip, S., see Ardelean, I. 165
Filip, S., see Ardelean, I. 239
Filoti, G., see Mihalca, I. 161
Filoti, G., see Seqqat, M. 225
Fiorani, D., F. Malizia, F. Ronconi and M. Vittori Antisari, Magnetic properties of partially crystallized $Fe_{80}B_{20}$ amorphous alloys 159
Fiorillo, F., Advances in Fe–Si properties and their interpretation 428
Flack, T.J., see Baholo, B. 444
Fnidiki, A., see Ravach, G. 173
Fomin, V., see Eremenko, V. 484
Fontaine, A., see Pizzini, S. 313
Fontcuberta, J., see Seffar, A. 260
Formoso, A., see Dufour, J. 125
Forsthuber, M., H. Nakamura, M. Shiga and E. Bauer, Nuclear resonance measurements of $CePd_2Ga_3$ and $LaPd_2Ga_3$ 681
Frait, Z. and P. Sturc, Investigation of the magnetoelastic properties of $Fe_{60}Ni_{20}B_{20}$ amorphous alloy by ferromagnetic resonance 533
Frait, Z., see Schreiber, F. 281
Franse, J.J.M., see Marquina, C. 403
Franse, J.J.M., see Kim-Ngan, N.-T.H. 407
Franse, J.J.M., see Kayzel, F.E. 409
Franse, J.J.M., see Thang, C.V. 643
Franse, J.J.M., see Thang, C.V. 645
Franse, J.J.M., see Tarnawski, Z. 663
Freitas, P.P., see de Azevedo, M.M.P. 276
Frost, B.G., see Lunedei, E. 434
Fruchart, D., see García-Landa, B. 21
Fruchart, D., see Liesert, S. 57
Fruchart, D., see Tomey, E. 113
Fruchart, D., see Tomey, E. 115
Fruchart, D., see García-Landa, B. 121
Fruchart, D., see Tobola, J. 708
Fujikura, M., see Sato, T. 211
Fujita, A., see Matzinger, M. 54
Fukunaga, H., H. Ochiai, Y. Kanai, F. Yamashita and T. Yoshimura, Flux stability of a Nd–Fe–B based magnet consolidated from a mixture of isotropic and anisotropic powders 63
Fukunaga, H., T. Aikawa, S. Nagaoka and Y. Kanai, Improvement in hard magnetic properties of rapidly quenched Sm–Fe–N flakes by Zn-coating 105
Fulmek, P.L. and H. Hauser, Magnetization calculations of (110)[001] FeSi sheets in different directions by statistical domain behaviour 361
Füzer, J., P. Matta, P. Kollár, P. Sovák and M. Konč, The influence of chromium content on the structure and magnetic properties of nanocrystalline $Fe_{74-x}Cr_xCu_1Nb_3Si_{13}B_9$ alloys 205
Füzer, J., see Kollár, P. 213

Gaiduk, S., see Sheiko, L. 457
Galateanu, A., see Valeanu, M. 381
Galez, P., see García Soldevilla, J. 624
Gama, S., see Aliaga-Guerra, D. 186
Gan'shina, E.A., V.S. Guschin and S.A. Kirov, Magneto-optical properties and electronic structure of Fe–Co–Si–B alloys 243

García, A., see Rodríguez, M. 177
García-Arribas, A., see Tejedor, M. 141
García-Arribas, A., see Gutiérrez, J. 543
García, J.A., see Tejedor, M. 179
García, J.L., A. López, F.J. Lázaro, C. Martínez and A. Corma, Iron oxide particles in large pore zeolites 272
García-Landa, B., E. Tomey, D. Fruchart, D. Gignoux and R. Skolozdra, Magnetic properties of $RFe_{10.5}Mo_{1.5}$ single crystals (R = Dy, Er) 21
García-Landa, B., R. Skolozdra, D. Fruchart, D. Gignoux and J.L. Soubeyroux, Magnetic and structural properties of new interstitial $RCo_9Si_2C_x$ compounds (R = Y, Nd, Sm) 121
García-Muñoz, J.L., see Seffar, A. 260
García del Muro, M., see Batlle, X. 191
García Soldevilla, J., J.I. Espeso, J. Rodríguez-Fernandez, J.C. Gómez Sal, J.A. Blanco, P. Galez and D. Paccard, Magnetic properties of a new series of Nd-based compounds $NdNi_{1-x}Cu_x$ 624
Garitaonaindia, J.S., see Gutiérrez, J. 543
Garnier, A., D. Gignoux, D. Schmitt and T. Shigeoka, Comparative study of the complex magnetic properties of $RRu_2X_2$ (R = rare earth; X = Si, Ge) 389
Gaugitsch, M., H. Hauser, F. Haberl and J. Hochreiter, Magneto-optic light modulation for refraction measurements by thin iron films 438
Gaviko, V.S., A.V. Korolyov and N.V. Mushnikov, X-ray diffraction investigation of spin reorientation in $SmFe_2$ 659
Gawior, W., M. Woch, R. Kolano and N. Wójcik, The structure and magnetic properties of $Fe_{82.5-x}Cu_1Nb_3Si_{13.5}B_x$ alloys 207
Gawroński, M., see Brzózka, K. 167
Gebel, B., see Eckert, D. 93
Gebel, B., see Dempsey, N.M. 99
Gebel, B., see Müller, K.-H. 117
Gemperle, R., see Gerber, R. 295
Gemperle, R., see Kamberský, V. 301
Gerber, R., T. Reid, R. Atkinson, P. Papakonstantinou, J. Šimšová, M. Čerňanský, R. Gemperle, K. Jurek and V. Studnička, Structural and magnetic properties of $BaCo_xTi_yFe_{12-x-y}O_{19}$ films 295
Ghigo, F., see Allia, P. 319
Ghoshray, A., see Giri, S. 411
Ghoshray, K., see Giri, S. 411
Gignoux, D., see García-Landa, B. 21
Gignoux, D., see Tomey, E. 113
Gignoux, D., see Tomey, E. 115
Gignoux, D., see García-Landa, B. 121
Gignoux, D., see Garnier, A. 389
Gignoux, D., see Kayzel, F.E. 409
Gilewski, A., see Talik, E. 405
Giri, S., K. Ghoshray, A. Ghoshray and N. Chatterjee, Magnetic susceptibility of $KMFeF_6$ ($M = Co^{2+}, Mn^{2+}$) systems 411
Givord, D., O.F.K. McGrath, C. Meyer and J. Rothman, Interface magnetic anisotropy 245
Givord, D., see Kobayashi, K. 97
Givord, D., see Duc, N.H. 169
Gladczuk, L., see Szymczak, R. 706
Godinho, M., P. Estrela, A.P. Gonçalves, M. Almeida, J.C. Spirlet and G. Bonfait, Anomalous magnetisation process in $UFe_4Al_8$ probed by magnetisation and magnetoresistance 690
Godinho, M., see Seqqat, M. 225
Godinho, M., see Gonçalves, A.P. 692
Golyshev, V.Yu. and A.F. Popkov, Quantum coherence and macroscopic spin tunneling in a weakly ferromagnetic fine particle 340
Gómez-Polo, C., see Zhukov, A. 143
Gómez Sal, J.C., see García Soldevilla, J. 624
Gómez Sal, J.C., see Espeso, J.I. 685
Gonçalves, A.P., M. Almeida, A. Amaro, M. Godinho, J.A. Paixão and J.C. Spirlet, A new magnetic intermetallic compound: $UFe_6Ga_6$ 692
Gonçalves, A.P., see Godinho, M. 690
González, J., see González, J.M. 363
González, J.M., R. Ramírez, R. Smirnov-Rueda and J. González, Modelling the time dependence of the magnetization in a system with many degrees of freedom 363
González, J.M., see Cornejo, D.R. 529
Goosev, M.Yu., see Grechishkin, R.M. 305
Görnert, P., see Batlle, X. 191
Gorobets, Yu.I., A.N. Kuchko and I.G. Salkov, Modification of surface structure in the magnetic film–magnetic tip system of a scanning tunneling microscope 303
Gorria, P., I. Orúe, M.L. Fernández-Gubieda, F. Plazaola, N. Zabala and J.M. Barandiarán, Stress and annealing induced changes in the Curie temperature of amorphous and nanocrystalline FeZr and FeNb based alloys 203
Gościańska, I., H. Ratajczak, P. Sovák, P. Matta and M. Konč, Magnetic thin films of Fe–(Cu–U)–Si–B alloy 321
Granovskiy, S.A., see Dubenko, I.S. 629
Gratz, E., see Dubenko, I.S. 629
Gratz, E., see Nakamura, H. 657
Gratz, E., see Hauser, R. 679
Grechishkin, R.M., M.Yu. Goosev, S.E. Ilyashenko and N.S. Neustroev, High-resolution sensitive magneto-optic ferrite–garnet films with planar anisotropy 305
Grechishkin, R.M., see Suponev, N.P. 376
Grechnev, G.E., A.S. Panfilov, N.V. Savchenko, I.V. Svechkarev, A. Czopnik and A. Hackemer, Magneto-volume effect in paramagnetic alloys of $CeIn_{3-x}Sn_x$ 677
Grechnev, G.E., A.S. Panfilov, I.V. Svechkarev, D. Kaczorowski, R. Troć and A. Czopnik, Effect of pressure on magnetic properties of $U(Ga_{1-x}Sn_x)_3$ alloys 702
Grechnev, G.E., A.S. Panfilov and I.V. Svechkarev, Pressure effect on the itinerant magnetism of MnSi and FeSi 711
Greenough, R.D., see Hayes, J.P. 531
Greve, J., see Lunedei, E. 434
Grimalsky, V.V. and Yu.G. Rapoport, Nonlinear magnetostatic waves in ferrite films in an inhomogeneous magnetic field 727
Gros, C., see Richter, J. 336

Grössinger, R., see Kou, X.C. 83
Grössinger, R., see Sinnecker, J.P. 183
Grössinger, R., see Hong Duong, V. 193
Grössinger, R., see Algarabel, P.A. 521
Grünberger, W., D. Hinz, D. Schläfer and L. Schultz, Microstructure, texture, and magnetic properties of backward extruded NdFeB ring magnets 41
Guimarães, A.P., see Aliaga-Guerra, D. 186
Gulyaev, Yu.V., Yu.F. Ogrin, N.I. Polzikova, F.Yu. Ogrin and P.W. Haycock, Magnetoacoustic echo spectrum of a ferrite–dielectric layered structure 482
Gundyrev, V.M., see Kurlyandskaya, G.V. 541
Gupta, A., see Kane, S.N. 519
Guschin, V.S., see Gan'shina, E.A. 243
Gutfleisch, O., see Yartys, V.A. 119
Gutiérrez, J., A. García-Arribas, J.S. Garitaonaindia, J.M. Barandiarán and P.T. Squire, $\Delta E$ effect and anisotropy distribution in metallic glasses with oblique easy axis induced by field annealing 543
Guyot, M., see Lisfi, A. 258
Guzik, A., J. Pierre, K. Kaczmarska, B. Lambert-Andron and B. Ouladdiaf, Kondo properties of the new compounds $Ce(Ag_xCu_{1-x})_{2-\delta}Sb_2$ 683
Gynderov, D.V., see Popov, A.G. 33

Haberl, F., see Gaugitsch, M. 438
Hackemer, A., see Grechnev, G.E. 677
Hafner, J., see Lorenz, R. 514
Hafner, J., see Becker, Ch. 619
Haga, Y., see Sato, T. 211
Hallmann, E., see Schaper, F.-W. 613
Hamada, N., see Asada, T. 343
Han, S.-M., see Yu, S.-C. 237
Handstein, A., J. Wecker, K. Schnitzke, D. Hinz and L. Schultz, Mechanically alloyed anisotropic Nd–Fe–B powder 15
Handstein, A., see Cao, L. 95
Handstein, A., see Müller, K.-H. 117
Hanson, M., see Juszczyk, S. 499
Hanson, M., see Johansson, C. 599
Harris, I.R., see Martinez, N. 17
Harris, I.R., see Matzinger, M. 54
Harris, I.R., see Ahmed, F.M. 59
Harris, I.R., see Hatch, G.P. 67
Harris, I.R., see Saje, B. 76
Harris, I.R., see O'Donnell, K. 79
Harris, I.R., see Sinan, S.A. 101
Harris, I.R., see Yartys, V.A. 119
Harris, I.R., see Burkhardt, C. 127
Harris, I.R., see Ruiz de Angulo, L. 508
Hartmann, U., High-resolution magnetic imaging based on scanning probe techniques 545
Hasenzagl, A., H. Pfützner and F. Sachslehner, Stray field energy of domains in soft magnetic material – a quantitative approach 467
Hašlar, V., see Kraus, L. 151
Haslar, V., see Basso, V. 217
Hašlar, V., see Kane, S.N. 519
Hassanain, N., see Ravach, G. 173
Hatch, G.P., A.J. Williams, G.J. Mycock and I.R. Harris, Upset forging of an as-cast Pr–Fe–B–Cu alloy in air 67
Hauser, H., see Fulmek, P.L. 361
Hauser, H., see Gaugitsch, M. 438
Hauser, H., see Squire, P.T. 527
Hauser, R., T. Ishii, Y. Uwatoko, G. Oomi, E. Bauer and E. Gratz, Thermal expansion of $YbCu_4Ag$ and $YbCu_4Au$ 679
Havela, L., see Cuong, T.D. 694
Havela, L., see Kučera, M. 700
Haycock, P.W., see Gulyaev, Yu.V. 482
Hayes, J.P., H.V. Snelling, A.G.I. Jenner and R.D. Greenough, Thin magnetoelastic films prepared by pulsed TEA $CO_2$ LAD 531
Heczko, O., see Kraus, L. 151
Heise, J., see Schreiber, F. 281
Helming, K., see Hinz, D. 43
Hempel, K.A., see von Staa, F. 23
Hempel, K.A., see von Staa, F. 25
Hempel, K.A., see Sürig, C. 268
Hernández, P., C. de Francisco, J.M. Muñoz, J. Iñiguez, L. Torres and M. Zazo, Influence of sintering atmosphere on the magnetic after-effect in strontium ferrites 123
Hernando, A., C. Prados and C. Prieto, Anisotropy, magnetostriction and local chemical order in amorphous $Tb_xFe_{1-x}$ ($0.1 < x < 0.55$) thin films 501
Hernando, B., see Tejedor, M. 141
Herzer, G., Nanocrystalline soft magnetic materials 133
Heydon, G.P., see Valera, M.S. 555
Hien, T.D., see Thang, C.V. 643
Hilscher, G., see Baranov, N.V. 401
Hilscher, G., see Perthold, W. 649
Hinz, D., S. Wirth, D. Eckert, K. Helming and K.-H. Müller, Determination of biaxial texture and intrinsic magnetic properties of hot rolled NdFeB samples 43
Hinz, D., see Handstein, A. 15
Hinz, D., see Grünberger, W. 41
Hirano, T., see Takeya, H. 611
Hirata, K., see Takeya, H. 611
Hochhold, M., H. Leeb and G. Badurek, Tensorial neutron tomography: a first approach 575
Hochreiter, J., see Gaugitsch, M. 438
Hogsdon, S.N., see Atalay, S. 145
Hogsdon, S.N., see Squire, P.T. 527
Hong, N.M., see Thang, C.V. 645
Hong, N.M., see Perthold, W. 649
Hong Duong, V., R. Grössinger, R. Sato Turtelli and Ch. Polak, The magnetic behaviour of nanocrystalline $Fe_{76.5-x}Cu_1Nb_xSi_{13.5}B_9$ 193
Honig, J.M., see Kozłowski, A. 415
Hoon, S.R., see Valera, M.S. 555
Hoon, S.R., see Tomlinson, S.L. 557
Hoshino, T., R. Zeller, P.H. Dederichs and T. Asada, Spin-polarization energies of 3d impurities in metals and alloys 717

Kurkina, L.I. and O.V. Farberovich, Magnetic moments and magnetic susceptibility of 3d impurities in small Al particles 725
Kurlyandskaya, G.V., T.Ye. Zayarnaya and V.M. Gundyrev, The effect of slight plastic deformation on the formation of induced magnetic anisotropy in Fe–3%Si alloy in the course of thermomechanical treatment above the Curie point 541
Kurnosov, V., see Eremenko, V. 484
Kushnir, A.P., see Shcherba, I.D. 688
Kutjanskyj, R.R., see Shcherba, I.D. 688
Kuzma, M., see Ubizskii, S.B. 279
Kvitkovič, J. and M. Majoroš, Three-axis cryogenic Hall sensor 440

Labarta, A., see Batlle, X. 191
Labarta, A., see Ribas, R. 351
Laffargue, D., see Pinto, R.P. 698
Laforest, J., see Valeanu, M. 381
Lambert-Andron, B., see Guzik, A. 683
Latorre, R., see Dufour, J. 125
Lavrenova, L.G., see Erenburg, S.B. 595
Lazar, D.P., see Plugaru, N. 647
Lázaro, F.J., see García, J.L. 272
Lebedev, S.P., see Mukhin, A.A. 496
Le Breton, J.M., see Ravach, G. 173
Lecis, N., see Zangari, G. 256
Lee, C.-M. and C.-R. Chang, Energy product for nanostructured two-phase magnets 129
Leeb, H., see Lientschnig, G. 525
Leeb, H., see Hochhold, M. 575
Le Gourriérec, P., see Acher, O. 480
Lehnert, A., see Fernengel, W. 19
Leonowicz, M., W. Kaszuwara, S. Wojciechowski and H.A. Davies, Irreversible losses of magnetisation in Fe–Nd–B type magnets 45
Levitin, R.Z., see Dubenko, I.S. 629
Levitin, R.Z., see Szymczak, R. 667
Lezama, L., see Rojo, J.M. 493
l'Héritier, P., see Kramp, S. 73
l'Héritier, Ph., see Febri, M. 103
Li, Q.A., N. Tang, Z.G. Zhao, K.H.J. Buschow and F.R. de Boer, High-field magnetization of $RCo_{10}Si_2$-type of compounds (R = Y, Dy, Ho, Er, Tm) 399
Lientschnig, G., H. Leeb and G. Badurek, Rigorous analytic proof of the intrinsic anisotropy in neutron depolarisation 525
Liesert, S., P. de Rango, J.L. Soubeyroux, D. Fruchart and R.P. de la Bâthie, Anisotropic and coercive HDDR Nd–Fe–B powders prepared under magnetic field 57
Lileev, A.S., A.G. Ayuyan, W. Steiner and M. Reissner, Low-temperature magnetization reversal processes in permanent magnets based on $R_2T_{14}B$ 373
Lindbaum, A., see Dubenko, I.S. 629
Lisfi, A., M. Guyot, R. Krishnan, M. Porte, P. Rougier and V. Cagan, Microstructure and magnetic properties of spinel and hexagonal ferrimagnetic films prepared by pulsed laser deposition 258
Litsardakis, G., see Michelakis, C. 347
Liu, J.F. and H.A. Davies, Magnetic properties of cobalt substituted $Nd_2Fe_{14}B/\alpha$-Fe nanocomposite magnets processed by overquenching and annealing 29
Liu, J.P., see Solzi, M. 85
Lodder, J.C., see Kamberský, V. 301
López, A., see García, J.L. 272
López, E., see Rodríguez, M. 177
López, E., see Favieres, C. 329
López, E., see Alcalá, E.M. 436
López, E., see Prieto, J.L. 449
López-Mateos, F., see Dufour, J. 125
Lord, J.S., see Kapusta, Cz. 109
Lorenz, R. and J. Hafner, Magnetic anisotropies of thin fcc Fe-layers on Cu(100) 514
Lorenz, R., see Becker, Ch. 619
Lu, S.L., see Chang, W.C. 89
Lucaci, P., see Lupsa, I. 696
Luis, F., J. Bartolomé, J. Tejada and E. Martínez, AC susceptibility study of the magnetic relaxation phenomena in $CrO_2$ digital compact cassette magnetic tapes 266
Lukina, L.N., see Koroleva, L.I. 475
Lundqvist, P., see Johansson, C. 599
Lunedei, E., G. Matteucci, B.G. Frost and J. Greve, Observation of the stray field of thin film magnetic tips using electron holography 434
Lupsa, I., E. Burzo and P. Lucaci, Magnetic behaviour of $U_{1-x}Y_xAl_3$ and $U_{1-x}La_xAl_3$ compounds 696
Lütgemeier, H., see Štěpánková, H. 393
Lyakhova, M.B., see Suponev, N.P. 376
Lyubchanskii, I.L., Theory of optical second harmonic generation in magnetic films with domain structure 307

Macko, P., see Kopčanský, P. 587
Macovei, C., see Ioan, C. 567
Magni, A., C. Beatrice, G. Durin and G. Bertotti, Stochastic approach to domain wall dynamics and ferromagnetic hysteresis 353
Maia Alves, J. and A.M. Vallêra, Magnetic effects in transverse elastic constants of bcc Fe(Si) 378
Majoroš, M., see Kvitkovič, J. 440
Makhro, I.G., see Nikitin, S.A. 387
Mălăescu, I. and I. Hrianca, Relaxation processes of magnetite-based ferrofluids in rf magnetic fields 585
Małecki, G., see Juszczyk, S. 499
Maletta, H., see Tappert, J. 317
Malizia, F., see Fiorani, D. 159
Malizia, F., see Vavassori, P. 171
Małkiński, L. and A. Ślawska-Waniewska, Barkhausen jumps in FeCrCuNbSiB nanocrystalline alloy 195
Mallah, T., see Siberchicot, B. 417
Mapps, D.J., see Chandrasekhar, R. 326
Mapps, D.J., see Shute, H.A. 577
Marcelli, R., M. Rossi and P. De Gasperis, Microwave magnetostatic wave coupled resonators 471

Margolych, I.I., see Shcherba, I.D. 688
Markin, P.E., see Baranov, N.V. 401
Marko, P., see Žák, T. 453
Markosyan, A.S., see Dubenko, I.S. 629
Marquina, C., N.-T.H. Kim-Ngan, K.H.J. Buschow, J.J.M. Franse and M.R. Ibarra, Specific heat of $Gd_2Zn_{17}$ and $Yb_2Zn_{17}$ intermetallic compounds 403
Martín, V.E., C.E. Reitlinger, G. Wolf, E. Schubert and H.W. Bergmann, Hard magnetic Nd–Fe–B powders produced by liquid gas atomization 51
Martínez, B., see Seffar, A. 260
Martínez, C., see García, J.L. 272
Martínez, E., see Luis, F. 266
Martinez, N., L. Ruiz de Angulo and I.R. Harris, Study of the effect of HDDR processing conditions on properties and microstructure of Nd–(Fe,Co,Ga)–B magnetic powders 17
Maryško, M. and S. Krupička, Calculation of the eddy current loss in a ferrite core 469
Marzec, J., J. Przewoźnik, J. Żukrowski and K. Krop, Magnetism of hexagonal $RMn_2$: $^{57}$Fe Mössbauer studies 413
Maslov, A.I., see Zubov, V.E. 297
Matkowskii, A.O., see Ubizskii, S.B. 279
Matta, P., see Füzer, J. 205
Matta, P., see Kollár, P. 213
Matta, P., see Gościańska, I. 321
Mattern, N., see Müller, M. 209
Matteucci, G., see Lunedei, E. 434
Matulescu, D., see Plugaru, N. 647
Matyáš, Jr, M., see Kučera, M. 323
Matyáš Jr., M., see Kučera, M. 700
Matzinger, M., J. Fidler, A. Fujita and I.R. Harris, Microstructure of solid-HDDR Nd–Fe–B:Zr magnets 54
Maziewski, A., see Kleparski, V.G. 309
Maziewski, A., see Kisielewski, M. 315
Maziewski, A., see Stankiewicz, A. 357
McCauley, J., see Ranno, L. 291
McCormick, P.G., J. Ding, E.H. Feutrill and R. Street, Mechanically alloyed hard magnetic materials 7
McGrath, O.F.K., see Givord, D. 245
McVitie, S., see Valera, M.S. 555
Melero, J.J. and R. Burriel, Calorimetric study of the crystal-field and exchange interactions in $NdNi_2$, $TbNi_2$, and $DyNi_2$ 651
Mellor, P.H., see Baholo, B. 444
Melquiond, F., A. Mouroux, J. Jouglar, P.L. Vuillermoz and H. Weinstock, History dependence of magnetomechanical properties of steel 571
Menard, D., see Ciureanu, P. 432
Menovsky, A.A., see Mihalik, M. 637
Mesa, J.L., see Rojo, J.M. 493
Metcalf, P., see Kozłowski, A. 415
Meyer, C., see Givord, D. 245
Meyer, V., see Suran, G. 223
Michelakis, C., G. Litsardakis and D. Samaras, A contribution to 2D vector Preisach modelling 347
Michor, H., see Baranov, N.V. 401
Michor, H., see Perthold, W. 649
Middleton, D.P. and K.H.J. Buschow, Note on the formation and magnetic properties of $TbFe_{12-x}Ga_x$ ($x = 6.7$) 385
Mihalca, I., A. Ercuta, I. Zaharie, A. Jianu, V. Kuncser and G. Filoti, Annealing effects in amorphous $Fe_{77}$-$Gd_3B_{20}$ ribbons 161
Mihalik, M., M. Timko, P. Samuely, N. Tomašovičova-Hudákova, P. Szabó and A.A. Menovsky, Magnetic properties and gap formation in FeSi 637
Mill, B.V., see Szymczak, R. 667
Minakov, A.A., see Bugoslavsky, Yu.V. 671
Misawa, S. and A. Tate, Fermi liquid description of the anomalous magnetic susceptibility of FeSi 617
Missell, F.P., see Cornejo, D.R. 529
Miteva, S., see Nurgaliev, T. 477
Mohn, P. and K. Schwarz, Quasi two-dimensional magnetism in MnGaGe 721
Mohn, P., see Spolenak, R. 715
Mohri, K., see Panina, L.V. 137
Moldovanu, A., E.-D. Diaconu, C. Ioan and E. Moldovanu, Magnetometric sensors with improved functional parameters 442
Moldovanu, A., see Moldovanu, B.-O. 565
Moldovanu, A., see Ioan, C. 567
Moldovanu, B.-O., C. Moldovanu and A. Moldovanu, Computer simulation of the transient behaviour of a fluxgate magnetometric circuit 565
Moldovanu, C., see Moldovanu, B.-O. 565
Moldovanu, E., see Moldovanu, A. 442
Moldovanu, E., see Ioan, C. 567
Monciardini, M., see Albertini, F. 655
Mora, M., see Morón, C. 345
Morellon, L., see Arnold, Z. 81
Morellon, L., see Pareti, L. 87
Morellon, L., see Kamarád, J. 381
Morón, C. and M. Mora, Temperature dependence of domain growth kinetics in two dimensions 345
Moroshkin, A., see Sheiko, L. 457
Morozkin, A.V., see Kochetkov, Yu.V. 665
Moshchalkov, V.V., see Almeida, B.G. 730
Mouroux, A., see Melquiond, F. 571
Moze, O., see Albertini, F. 655
Mueller, M.A., see Baholo, B. 444
Mukhin, A.A., V.D. Travkin, A.E. Egoyan, S.P. Lebedev, A.S. Prokhorov, A.M. Balbashov and I.Yu. Parsegov, 'Gigantic' increase of AFMR frequencies induced by nonmagnetic impurity ions in orthoferrites $RFe_{1-x}Al_xO_3$ (R = Gd,Tb) 496
Mulenko, S.A. and A.N. Pogorelyi, Deposition of thin magnetic films from organometallic composition under the action of laser radiation 299
Müller, H., see Spolenak, R. 715
Müller, K.-H., J.B. Dunlop, A. Handstein, B. Gebel and P.A.P. Wendhausen, Permanent magnet properties of $Sm_3(Fe_{0.93}Ti_{0.07})_{29}X_y$ (X = C or N) 117
Müller, K.-H., see Hinz, D. 43

Müller, K.-H., see Eckert, D. 93
Müller, K.-H., see Cao, L. 95
Müller, K.-H., see Dempsey, N.M. 99
Müller, M., N. Mattern and U. Kühn, Correlation between magnetic and structural properties of nanocrystalline soft magnetic alloys 209
Muñoz, J.M., see Hernández, P. 123
Muraoka, H., see Kurihara, Y. 262
Mushnikov, N.V., see Gaviko, V.S. 659
Mycock, G.J., see Hatch, G.P. 67
Mydlarz, T., see Talik, E. 405
Mydlarz, T., see Szajek, A. 723
Mydosh, J.A., Disordered magnetism and spin glasses 606

Nadolski, S., see Wójcik, M. 220
Nagamine, L.C.C.M., H.R. Rechenberg, P.A. Algarabel and M.R. Ibarra, Competing anisotropies in $(Dy_x Er_{1-x})Fe_{11}Ti$ alloys 111
Nagaoka, S., see Fukunaga, H. 105
Naili, M., see Suran, G. 223
Nakamura, H., H. Takahashi, M. Shiga and E. Gratz, Nuclear magnetic relaxation in $NdCu_2$ 657
Nakamura, H., see Forsthuber, M. 681
Nakamura, Y., see Kurihara, Y. 262
Narozhnyi, V.N. and T.G. Uvarova, Investigation of $Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ single crystals. Transition from magnetic superconductor to magnetic insulator 675
Neagu, M., see Chiriac, H. 229
Neagu, M., see Hristoforou, E. 451
Neamtu, J., Magnetic studies of Ni–Fe thin films prepared by dc sputtering 461
Nedolya, A.V., see Savin, V.V. 49
Negri, D., see Albertini, F. 655
Negro, C., see Dufour, J. 125
Neiva, A.C., see Sinan, S.A. 101
Nejezchleba, M., see Štěpánková, H. 393
Nemova, O.Yu., see Kekalo, I.B. 181
Neu, V., P. Crespo, R. Schäfer, J. Eckert and L. Schultz, High remanence Nd–Fe–B–X (X = Cu, Si, $Nb_3Cu$, Zr) powders by mechanical alloying 61
Neumann, M., see Chełkowska, G. 719
Neustroev, N.S., see Grechishkin, R.M. 305
Newnham, S.J., J.P. Jakubovics and A.C. Daykin, Domain structure of thin NdFeB foils 39
Nicoara, G., see Seqqat, M. 489
Niedoba, H., see Suran, G. 223
Nikiforov, V.N., see Kochetkov, Yu.V. 665
Nikitin, S.A., T.I. Ivanova, I.G. Makhro and Yu.A. Tskhadadze, Itinerant magnetism of $Gd_xLa_{1-x}MSi$ (M = Fe, Co) compounds 387
Nimori, S., see Kido, G. 550
Nitsch, K., see Kučera, M. 323
Niziol, S., see Tobola, J. 708
Nogues, M., see Seqqat, M. 225
Noguès, M., see Seqqat, M. 489
Noh, T.-H., see Yu, S.-C. 237
Nowicki, P., see Ślawska-Waniewska, A. 147

Nurgaliev, T., NMR effect on domain wall resonance susceptibility in ferromagnetic materials 359
Nurgaliev, T. and S. Miteva, Theoretical investigation of spin and acoustic wave resonances in a layered structure 477

Obradors, X., see Seffar, A. 260
Ochiai, H., see Fukunaga, H. 63
O'Donnell, K., M. Aindow, I.R. Harris, R. Skomski and J.M.D. Coey, Structural imaging of mechanically alloyed remanence-enhanced $Sm_2Fe_{17}N_3/\alpha$-Fe 79
Oesterreicher, H., see Ko, D. 661
O'Grady, K., see Chantrell, R.W. 250
Ogrin, F.Yu., see Gulyaev, Yu.V. 482
Ogrin, Yu.F., see Gulyaev, Yu.V. 482
Oguchi, T., see Asada, T. 343
Okamoto, Y., see Kurihara, Y. 262
Oleszak, D., see Pekala, M. 231
Oomi, G., see Hauser, R. 679
Orendáč, M., see Orendáčová, A. 583
Orendáčová, A., M. Orendáč, J. Chomič and A. Feher, The role of hydrogen bonds in the magnetic dimensionality of $CuSO_4(H_2O)_2(C_2H_8N_2)$ and $Cu(C_{10}H_8N_2)_2Ag_2(CN)_4 \cdot H_2O$ 583
Orth, Th. and F. Schreiber, Temperature-dependent conventional and photothermally modulated FMR measurements on $CrO_2$ particulate tapes 512
Orúe, I., see Gorria, P. 203
Osawa, H., see Kurihara, Y. 262
Oshikiri, M., see Kido, G. 550
Ouladdiaf, B., see Guzik, A. 683
Óvári, T.A., see Chiriac, H. 227

Paccard, D., see García Soldevilla, J. 624
Paixão, J.A., see Gonçalves, A.P. 692
Panfilov, A.S., see Grechnev, G.E. 677
Panfilov, A.S., see Grechnev, G.E. 702
Panfilov, A.S., see Grechnev, G.E. 711
Panina, L.V. and K. Mohri, Effect of magnetic structure on giant magneto-impedance in Co-rich amorphous alloys 137
Paoluzi, A., see Pareti, L. 87
Paoluzi, A., see Albertini, F. 655
Papakonstantinou, P., see Gerber, R. 295
Pareti, L., A. Paoluzi, F. Albertini, M.R. Ibarra, L. Morellon and P.A. Algarabel, Magnetocrystalline anisotropy in $RE_2(FeTi)_{17}$, RE = Nd, Y 87
Pareti, L., see Albertini, F. 655
Parsegov, I.Yu., see Mukhin, A.A. 496
Pasnicu, C., see Rezlescu, E. 487
Pastushenkov, Yu.G., O.B. Dyogteva, A.W. Shipov and K.P. Skokov, Magnetostatic grain interaction and angular dependence of the nucleation field in Fe–Nd–B and $SmCo_5$ permanent magnets 67
Pekala, M. and D. Oleszak, Magnetic properties and structure of mechanically synthesized $Fe_{25}Al_{75}$ alloys 231
Pelzl, J., see Schreiber, F. 281

Perrin, G., O. Acher, J.C. Peuzin and N. Vukadinovic, Sum rules for gyromagnetic permeability of ferromagnetic thin films: theoretical and experimental results 289
Perrin, G., see Suran, G. 223
Perrin, G., see Acher, O. 480
Perthold, W., N.M. Hong, H. Michor, G. Hilscher, H. Ido and H. Asano, Specific heat of $RCo_3B_2$ (R = Y, Sm, Gd, Dy, Lu) 649
Peteanu, M., see Ardelean, I. 239
Petrenko, O.A., see Prozorova, L.A. 733
Peuzin, J.C., see Perrin, G. 289
Pflaum, J., see Schreiber, F. 281
Pfützner, H., see Hasenzagl, A. 467
Piecuch, M., see Pizzini, S. 313
Pierre, J., see Guzik, A. 683
Piñol, S., see Seffar, A. 260
Pinto, R.P., M.M. Amado, M.E. Braga, M.A. Salgueiro, J.B. Sousa, B. Chevalier, D. Laffargue and J. Étourneau, Transport and magneto-transport properties of $U_2Ni_2Sn$ 698
Pištora, J., D. Ciprian, R. Kantor, K. Postava and J. Sobota, Dark mode spectroscopy of magnetic thin films 283
Pizzini, S., A. Fontaine, F. Baudelet, J.F. Bobo and M. Piecuch, Spin-polarisation of copper in Co/Cu and Fe/Cu multilayers 313
Plazaola, F., see Gorria, P. 203
Plugaru, N., M. Valeanu, D.P. Lazar, D. Matulescu, J. Wang, N. Tang and F.-M. Yang, Magnetic properties of $Y_3Co_{11-x}Fe_xB_4$ compounds 647
Plugaru, N., see Valeanu, M. 381
Plusa, D. and B. Wyslocki, Magnetization reversal processes in sintered Nd–Fe–B–Nb magnets 338
Pogorelyi, A.N., see Mulenko, S.A. 299
Pogorily, A., see Shipil', E. 293
Pokorny, J., see Basso, V. 217
Polak, Ch., see Hong Duong, V. 193
Polzikova, N.I., see Gulyaev, Yu.V. 482
Pop, A., see Culea, E. 163
Pop, Gh., see Chiriac, H. 227
Pop, V., see Kappel, W. 35
Pop, V., see Burzo, E. 615
Pop, V., see Burzo, E. 631
Popa, P.D., see Rezlescu, N. 673
Popkov, A.F., see Golyshev, V.Yu. 340
Popov, A.G., D.V. Gynderov and V.V. Stolyarov, Method of formation of a high coercivity state in PrFeBCu alloy 33
Porte, M., see Lisfi, A. 258
Porthun, S., see Kamberský, V. 301
Postava, K., see Pištora, J. 283
Prados, C., see Hernando, A. 501
Prieto, C., see Hernando, A. 501
Prieto, J.L., C. Aroca, E. López, M.C. Sánchez and P. Sánchez, Spectral estimate of a time variable magnetic field 449
Prokhorov, A.S., see Mukhin, A.A. 496
Prozorova, L.A. and O.A. Petrenko, AFMR in a quasi-1D noncollinear antiferromagnet $CsMnI_3$ 733
Przewoźnik, J., see Marzec, J. 413
Puppin, E., see Vavassori, P. 171
Puppin, E., see Zangari, G. 256
Pushkar, Yu.E., see Suponev, N.P. 376
Pushkarski, V.I., see Baranov, N.V. 635
Půst, L., G. Bertotti, I. Tomáš and G. Vértesy, Coercivity and domain wall pinning in nonuniform local magnetic fields 355

Qi, Q.-n., see Rao, X.-l. 704

Radwański, R.J., see Kim-Ngan, N.-T.H. 407
Radwański, R.J., see Kayzel, F.E. 409
Radwański, R.J., see Tarnawski, Z. 663
Rafaja, D., see Kolovrat, J. 597
Ramírez, R., see González, J.M. 363
Ranno, L., M. Viret, F. Valentin, J. McCauley and J.M.D. Coey, Transport and magnetic properties of $A^{3+}_{1-x}B^{2+}_xMnO_3$ (A = La, Y or Nd, B = Ca, Sr or Ba) magnetic perovskites 291
Rao, X.-l., Q.-n. Qi and J.M.D. Coey, Metamagnetic transition in the $ErNi_2B_2C$ superconductor 704
Rao, X.-L., see Brennan, S. 510
Rapoport, Yu.G., see Grimalsky, V.V. 727
Ratajczak, H., see Gościańska, I. 321
Ratuszna, A., see Juszczyk, S. 499
Ravach, G., J. Teillet, A. Fnidiki, J.M. Le Breton, L. Driouch and N. Hassanain, Structural changes in Fe–RE–B amorphous ribbons: a Mössbauer study 173
Rechenberg, H.R., see Nagamine, L.C.C.M. 111
Rehm, Ch., see Tappert, J. 317
Reid, T., see Gerber, R. 295
Reiffers, M., see Espeso, J.I. 685
Reinsch, B., see Saje, B. 76
Reissner, M., see Lileev, A.S. 373
Reitlinger, C.E., see Martín, V.E. 51
Rezlescu, E., N. Rezlescu, C. Pasnicu and M.L. Craus, Densification by nonmagnetic additives of high frequency lithium–zinc and nickel–zinc ferrites 487
Rezlescu, N., R. Anghelache, P.D. Popa and I. Ciobotaru, Vortex melting transition and periodic pinning in high temperature superconductors 673
Rezlescu, N., see Rezlescu, E. 487
Ribas, R. and A. Labarta, Monte Carlo simulation of magnetic relaxation in small-particle systems with dipolar interactions 351
Richter, J., C. Gros, S.E. Krüger and W. Wenzel, Numerical versus exact results for coupled magnetic spin 1/2 layers 336
Riedi, P.C., see Kapusta, Cz. 109
Ripka, P., Noise and stability of magnetic sensors 424
Roblin, O., see Acher, O. 480
Rodewald, W., see Fernengel, W. 19
Rodewald, W., see Velicescu, M. 47

Rodríguez-Fernandez, J., see García Soldevilla, J. 624
Rodríguez, M., A. García, C. Aroca, P. Sánchez, E. López and M.C. Sánchez, Magnetic behavior of amorphous ribbons with induced helical anisotropy 177
Rodríguez Fernández, J., see Espeso, J.I. 685
Rojo, J.M., J.L. Mesa, L. Lezama, G.E. Barberis and T. Rojo, Magnetic properties of $Co_2(OH)(AsO_4)$ 493
Rojo, T., see Rojo, J.M. 493
Ronconi, F., see Fiorani, D. 159
Ronconi, F., see Vavassori, P. 171
Rossi, M., see Marcelli, R. 471
Rothman, J., see Givord, D. 245
Rougier, P., see Lisfi, A. 258
Rudkowska, G., see Ciureanu, P. 432
Rudkowski, P., see Ciureanu, P. 432
Ruiz de Angulo, L., J.S. Abell and I.R. Harris, Magnetostrictive properties of polymer bonded Terfenol-D 508
Ruiz de Angulo, L., see Martinez, N. 17
Ruuskanen, P., see Kaczkowski, Z. 201
Ruwali, K., see Kane, S.N. 519

Sabanov, S.A., see Savin, V.V. 49
Sachslehner, F., see Hasenzagl, A. 467
Saje, B., B. Reinsch, S. Kobe-Beseničar, D. Kolar and I.R. Harris, Nitrogenation of $Sm_2Fe_{17}$ alloy with Ta addition 76
Salgueiro, M.A., see Pinto, R.P. 698
Salkov, I.G., see Gorobets, Yu.I. 303
Samaras, D., see Michelakis, C. 347
Samuely, P., see Mihalik, M. 637
Sánchez, M.C., see Rodríguez, M. 177
Sánchez, M.C., see Favieres, C. 329
Sánchez, M.C., see Alcalá, E.M. 436
Sánchez, M.C., see Prieto, J.L. 449
Sánchez, M.L., see Tejedor, M. 141
Sánchez, P., see Rodríguez, M. 177
Sánchez, P., see Favieres, C. 329
Sánchez, P., see Alcalá, E.M. 436
Sánchez, P., see Prieto, J.L. 449
Sasaki, T., see Takada, S. 455
Sassik, H., see Baranov, N.V. 635
Sato, T., Y. Sato, M. Fujikura and Y. Haga, Magnetic properties of Fe-based amorphous/nanocrystalline alloy bilayer ribbons 211
Sato, Y., see Sato, T. 211
Satoh, K., see Yamada, K. 563
Sato Turtelli, R., see Sinnecker, J.P. 183
Sato Turtelli, R., see Hong Duong, V. 193
Sauer, Ch., see Sürig, C. 268
Savchenko, N.V., see Grechnev, G.E. 677
Savin, V.V., Yr.F. Ternovoy, V.A. Borkovskih, A.V. Nedolya and S.A. Sabanov, Manufacture of gas-atomized powders of Fe–TM–Nd–REM–B alloys and magnets from them 49
Savosta, M., V. Doroshev and V. Borodin, Magnetic anisotropy of $Er_3Fe_5O_{12}$ 523
Savosta, M., see Doroshev, V. 669
Sayah, D., see Seqqat, M. 225
Sayah, D., see Seqqat, M. 489
Schad, R., see Almeida, B.G. 730
Schäfer, R., see Neu, V. 61
Schaper, F.-W., A. Eichler, E. Hallmann and E. Bauer, Pressure dependence of the magnetic order transition in the Kondo lattice compound $CeCu_5$ 613
Schläfer, D., see Grünberger, W. 41
Schmitt, D., see Garnier, A. 389
Schmool, D.S., see Bolzoni, F. 573
Schneeweiss, O., see Žák, T. 453
Schneider, J. and R. Knehans-Schmidt, Bonded hybrid magnets 27
Schneider, J., see von Staa, F. 23
Schnitzke, K., see Handstein, A. 15
Schrefl, T. and J. Fidler, Numerical micromagnetics for granular magnetic materials 331
Schreiber, F., J. Pflaum, Z. Frait, J. Heise and J. Pelzl, Ferromagnetic resonance study of the $Fe_xCo_{1-x}$ alloy system 281
Schreiber, F., see Orth, Th. 512
Schrey, P., see Velicescu, M. 47
Schubert, E., see Martín, V.E. 51
Schultz, L., see Handstein, A. 15
Schultz, L., see Grünberger, W. 41
Schultz, L., see Neu, V. 61
Schultz, L., see Cao, L. 95
Schwarz, K., see Spolenak, R. 715
Schwarz, K., see Mohn, P. 721
Sechovský, V., see Cuong, T.D. 694
Sechovský, V., see Kučera, M. 700
Seffar, A., J. Fontcuberta, B. Martínez, J.L. García-Muñoz, S. Piñol and X. Obradors, Giant magnetoresistance in ceramic perovskites La–L–Ca–MnO (L = Y,Gd) 260
Seqqat, M., M. Nogues, O. Crisan, V. Kuncser, L. Cristea, A. Jianu, G. Filoti, J.L. Dormann, D. Sayah and M. Godinho, Magnetic properties of $Fe_{100-x}Sm_x$ thin films and $Fe_{80-x}Sm_xB_{20}$ thin films and ribbons 225
Seqqat, M., G. Nicoara, M. Noguès, J.L. Dormann and D. Sayah, Transition from collinear to canted structures in substituted ferrites 489
Serraj, A., see Bolzoni, F. 573
Sever, G.N., I.K. Bolnykh and S.Yu. Yuseena, Influence of a magnetic field on the spectral characteristics of the photoelectric effects in $HgCr_2Se_4$ 473
Shcherba, I.D., M.D. Koterlyn, A.P. Kushnir, R.R. Kutjanskyj, V.G. Synjushko, Yu.D. Tsybukh, B.M. Yatsyk and I.I. Margolych, Peculiarities of the valence state of Ce and Yb in $RM_4Al_8$ (R = rare earth; M = Cr, Mn, Fe, Cu) 688
Sheiko, L., A. Moroshkin and S. Gaiduk, The characteristic properties of magnetization processes of 3% Si–Fe sheets in transformer cores 457
Shestakov, A., see Doroshev, V. 669
Shiga, M., see Nakamura, H. 657
Shiga, M., see Forsthuber, M. 681
Shigeoka, T., see Garnier, A. 389

Shipil', E. and A. Pogorily, Magnetic anisotropy in amorphous and multilayered Tb–Fe films 293
Shipov, A.W., see Pastushenkov, Yu.G. 67
Shirkoohi, G.H., Anisotropic dependence of magnetostriction in electrical steels under applied linear stress 516
Shute, H.A., D.T. Wilton and D.J. Mapps, Approximate spectral response functions for single pole heads 577
Siberchicot, B., T. Mallah and M. Verdaguer, Theoretical study of high-$T_C$ molecular-based cyanide magnets 417
Simon, V., see Ardelean, I. 165
Šimša, Z., see Buršík, J. 311
Šimša, Z., see Kawai, Y. 537
Šimšová, J., see Gerber, R. 295
Šimšová, J., see Kamberský, V. 301
Sinan, S.A., A.C. Neiva and I.R. Harris, Preparation of $Sm_{10.2}Fe_{85.8}Nb_4$ nitride-based permanent magnet by HDDR process 101
Sinnecker, E.H.C.P., see Kou, X.C. 83
Sinnecker, J.P., R. Sato Turtelli, G. Badurek and R. Grössinger, Time evolution study of the domain structure in amorphous $Fe_{64}Co_{21}B_{15}$ and $Co_{77}B_{23}$ using dynamic 3D-neutron depolarization 183
Skokov, K.P., see Pastushenkov, Yu.G. 67
Skolozdra, R., see García-Landa, B. 21
Skolozdra, R., see García-Landa, B. 121
Skomski, R., Spin-glass permanent magnets 713
Skomski, R., see O'Donnell, K. 79
Skomski, R., see Brennan, S. 510
Sláma, J., V. Jančárik and E. Ušák, Contribution to laminar effects in magnetic yokes 463
Ślawska-Waniewska, A., R. Żuberek and P. Nowicki, Saturation magnetostriction of FeZrB(Cu) nanocrystalline alloys 147
Ślawska-Waniewska, A., see Małkiński, L. 195
Smirnov, A.I. and I.N. Khlyustikov, Electric field governed magnetic susceptibility and $M$–$E$ hysteresis in antiferromagnetic $Gd_2CuO_4$ 391
Smirnov-Rueda, R., see González, J.M. 363
Snelling, H.V., see Hayes, J.P. 531
Sobota, J., see Pištora, J. 283
Solera, J.A., see Algarabel, P.A. 521
Sólyom, A., see Žák, T. 453
Solzi, M., F. Albertini, G. Asti, F. Bolzoni, I. Suberbielle, J.P. Liu and F.R. de Boer, Magnetic phase transitions in interstitial compounds $Er_2Fe_{17}C_x$ 85
Solzi, M., see Asti, G. 559
Sonntag, R., see Albertini, F. 655
Soubeyroux, J.-L., see Tobola, J. 708
Soubeyroux, J.L., see Liesert, S. 57
Soubeyroux, J.L., see Tomey, E. 113
Soubeyroux, J.L., see Tomey, E. 115
Soubeyroux, J.L., see García-Landa, B. 121
Soubeyroux, J.L., see Brando, E. 465
Sousa, J.B., see de Azevedo, M.M.P. 276
Sousa, J.B., see Pinto, R.P. 698
Sousa, J.B., see Almeida, B.G. 730
Sovák, P., see Kováč, J. 197
Sovák, P., see Füzer, J. 205
Sovák, P., see Gościańska, I. 321
Sperl, J., see Krenn, H. 561
Spirlet, J.C., see Godinho, M. 690
Spirlet, J.C., see Gonçalves, A.P. 692
Spolenak, R., E. Bauer, H. Müller, H. Kirchmayr, P. Blaha, P. Mohn and K. Schwarz, (Fe,Mn)Si: transitions from a magnetic to a nonmagnetic state and from metallic to semiconducting behaviour 715
Squire, P.T., S.N. Hogsdon and H. Hauser, Domain processes in grain-oriented silicon steel studied by means of $\Delta E$ effect 527
Squire, P.T., see Atalay, S. 145
Squire, P.T., see Gutiérrez, J. 543
Standaert, C., see Eloot, K. 459
Stanek, J., see Thang, C.V. 645
Stankiewicz, A., B.A. Ivanov and A. Maziewski, Domain structure changes in a large pulse in-plane field 357
Steiner, W., see Lileev, A.S. 373
Steiner, W., see Außerlechner, U. 579
Štěpánková, H., J. Englich, M. Nejezchleba, J. Kohout and H. Lütgemeier, $^{57}$Fe NMR study of magnetization processes in barium hexaferrites 393
Štichauer, L., see Buršík, J. 311
Stobiecki, T., see Wójcik, M. 220
Stolyarov, V.V., see Popov, A.G. 33
Street, R., see McCormick, P.G. 7
Ström-Olsen, J.O., see Ciureanu, P. 432
Studnička, V., see Gerber, R. 295
Stupakiewicz, A., see Kisielewski, M. 315
Sturc, P., see Frait, Z. 533
Styblíková, R., see Draxler, K. 447
Suberbielle, I., see Solzi, M. 85
Suponev, N.P., R.M. Grechishkin, M.B. Lyakhova and Yu.E. Pushkar, Angular dependence of coercive field in (Sm,Zr)(Co,Cu,Fe)$_z$ alloys 376
Suran, G., H. Niedoba, M. Naili, O. Acher, V. Meyer, C. Boscher and G. Perrin, Magnetic properties of CoFeZr amorphous thin films 223
Sürig, C., K.A. Hempel and Ch. Sauer, Influence of stoichiometry on hexaferrite structure 268
Svalov, A.V., see Vas'kovskij, V.O. 285
Švec, P., see Butvin, P. 189
Švec, T., see Kováč, J. 197
Švec, T., see Kollár, P. 213
Svechkarev, I.V., see Grechnev, G.E. 677
Svechkarev, I.V., see Grechnev, G.E. 702
Svechkarev, I.V., see Grechnev, G.E. 711
Sviderski, A.E., see Baranov, N.V. 635
Synjushko, V.G., see Shcherba, I.D. 688
Szabó, P., see Mihalik, M. 637
Szajek, A., A. Kowalczyk, J. Baszyński, A. Jezierski and T. Mydlarz, The magnetic properties of the Laves-phase system $Dy(Co_{1-x}Al_x)_2$ 723
Szymczak, H., see Szymczak, R. 667
Szymczak, H., see Szymczak, R. 706

Szymczak, R., H. Szymczak, M. Baran, R.Z. Levitin and B.V. Mill, Low temperature magnetization of $R_2Cu_2O_5$ single crystals 667
Szymczak, R., H. Szymczak, L. Gladczuk and M. Baran, Anisotropic magnetic and superconducting properties of $ErNi_2B_2C$ single crystals 706

Tagliaferri, A., see De Rossi, S. 287
Tai, L.T., see Kayzel, F.E. 409
Takada, S., T. Yasuda and T. Sasaki, Magnetizing properties of an oriented Si–Fe sheet core in biased magnetizing states at power frequencies 455
Takahashi, H., see Nakamura, H. 657
Takehana, K., see Kido, G. 550
Takeya, H., K. Kadowaki, K. Hirata, T. Hirano and K. Togano, Growth of $YNi_2B_2C$ single crystals and their superconducting properties 611
Talik, E., T. Mydlarz and A. Gilewski, Magnetization of $Er_3Ni$ single crystals 405
Tanaka, I., see Bugoslavsky, Yu.V. 671
Tang, N., Z.G. Zhao, K.H.J. Buschow and F.R. de Boer, The dysprosium–transition-metal interaction in $Dy(Co,Ni)_{10}Si_2$ compounds 397
Tang, N., see Li, Q.A. 399
Tang, N., see Plugaru, N. 647
Tanguy, A., D. Binesti, J. Degauque, J. Bras, M. Fagot and A. Chamberod, Vanadium influence in NdFeBAl melt-spun magnets 37
Tappert, J., F. Klose, Ch. Rehm, W.S. Kim, R.A. Brand, H. Maletta and W. Keune, The magnetic texture of Tb/Fe multilayers 317
Taranitchev, V.E., see Kekalo, I.B. 181
Tarasenko, T., see Doroshev, V. 669
Tarnawski, Z., X.Z. Wang, N.-T.H. Kim-Ngan, R.J. Radwański and J.J.M. Franse, Specific heat of $REBaSrCu_3O_7$ compounds (R = Nd, Sm, Dy, Er) 663
Tate, A., see Misawa, S. 617
Teillet, J., see Ravach, G. 173
Tejada, J., see Luis, F. 266
Tejedor, M., B. Hernando, M.L. Sánchez and A. García-Arribas, Influence of induced anisotropy on magneto-impedance in Co-rich metallic glasses 141
Tejedor, M., J.A. García and J. Carrizo, Torque measurements of anisotropy in $Co_{66}Si_{15}B_{14}Fe_4Ni_1$ amorphous ribbons 179
Terakura, K., see Asada, T. 343
Terashima, T., see Kido, G. 550
Ternovoy, Yr.F., see Savin, V.V. 49
Tesař, R., see Buršík, J. 311
Tetean, R. and E. Burzo, Magnetic properties of $R_3Co_{11}B_4$ compounds 633
Thang, C.V., N.P. Thuy, T.D. Hien, J.J.M. Franse, J.H.P. Colpa, P.E. Brommer and E. Brück, Magnetocrystalline anisotropy and exchange interaction of Single Crystalline $RCo_4M$ (R: Y, Gd, Ho; M: Al, B) 643
Thang, C.V., J. Stanek, P.E. Brommer, N.M. Hong, J.J.M. Franse and N.P. Thuy, Magnetocrystalline anisotropy of $Y_{n+1}(Co_{1-x}Fe_x)_{3n+5}B_{2n}$, $n = 2,3$ 645
Thomas, G., see Bernardi, J. 153
Thuy, N.P., see Thang, C.V. 643
Thuy, N.P., see Thang, C.V. 645
Tiberto, P., see Allia, P. 319
Timko, M., see Mihalik, M. 637
Tobola, J., M. Bacmann, D. Fruchart, S. Kaprzyk, A. Koumina, S. Niziol, J.-L. Soubeyroux, P. Wolfers and R. Zach, Magnetism of $Fe_2P$ investigated by neutron experiments and band structure calculations 708
Togano, K., see Takeya, H. 611
Tomáš, I., see Půst, L. 355
Tomašovičova-Hudákova, N., see Mihalik, M. 637
Tomey, E., M. Bacmann, D. Fruchart, D. Gignoux and J.L. Soubeyroux, Relationship between the structural and magnetic properties of the series $RFe_{10.5}Mo_{1.5}X_x$ with X = H, C, N and $0 \leq x \leq 1$ 113
Tomey, E., M. Bacmann, D. Fruchart, D. Gignoux and J.L. Soubeyroux, Structural and magnetic properties of $RFe_{10.5}Mo_{1.5}N_x$ compounds (R = rare earth) 115
Tomey, E., see García-Landa, B. 21
Tomka, G.J., see Kapusta, Cz. 109
Tomlinson, S.L., A.N. Farley, S.R. Hoon and M.S. Valera, Interactions between soft magnetic samples and MFM tips 557
Tomlinson, S.L., see Valera, M.S. 555
Torres, L., see Hernández, P. 123
Travkin, V.D., see Mukhin, A.A. 496
Troć, R., see Grechnev, G.E. 702
Troyon, M., see Vilain, S. 274
Tskhadadze, Yu.A., see Nikitin, S.A. 387
Tsybukh, Yu.D., see Shcherba, I.D. 688
Turek, K., J. Chmist and H. Figiel, Compensation of the temperature coefficient of the magnetic flux produced by a Nd–Fe–B magnet in the air gap of a magnetic circuit 65
Turilli, G. and G. Asti, Model for initial susceptibility as a function of temperature in the presence of spin reorientation transitions 371

Ubizskii, S.B., A.O. Matkowskii and M. Kuzma, Irradiation-induced effects in yttrium–iron garnet films 279
Ufer, H., see Chełkowska, G. 719
Uji, S., see Kido, G. 550
Ušák, E., see Sláma, J. 463
Uvarova, T.G., see Narozhnyi, V.N. 675
Uwatoko, Y., see Hauser, R. 679

Valeanu, M., N. Plugaru, A. Galateanu, E. Burzo and J. Laforest, Magnetic study of $R_3Fe_{29-x}M_x$, with R = Y,Gd and M = V,Ti 381
Valeanu, M., see Plugaru, N. 647
Valentin, F., see Ranno, L. 291
Valera, M.S., S.L. Tomlinson, G.P. Heydon, A.N. Farley, S.R. Hoon, L. Zhou, S. McVitie and J.N. Chapman, Magnetic force microscopy of soft magnetic materials 555
Valera, M.S., see Tomlinson, S.L. 557
Vallêra, A.M., see Maia Alves, J. 378
van Loenen, E.J., see Fastenau, R.H.J. 1

Varga, R., see Vojtaník, P. 175
Varnek, V.A., see Erenburg, S.B. 595
Vas'kovskij, V.O. and A.V. Svalov, Asymmetry of the spin-valve effect in FeNi/Cu/FeNi/FeMn films 285
Vavassori, P., L. Callegaro, E. Puppin, F. Malizia and F. Ronconi, Surface magnetic characterization of FeB amorphous ribbons 171
Vázquez, M., see Zhukov, A. 143
Velicescu, M., W. Fernengel, W. Rodewald, P. Schrey and B. Wall, High-energy sintered Nd–Dy–Fe–B magnets with Co and Cu additions 47
Verdaguer, M., see Siberchicot, B. 417
Verkholyak, T., see Derzhko, O. 421
Vértesy, G., see Kisielewski, M. 315
Vértesy, G., see Půst, L. 355
Vilain, S., J. Ebothe and M. Troyon, Surface roughness and composition effects on the magnetic properties of electrodeposited Ni–Co alloys 274
Vinai, F., see Allia, P. 319
Vincent, H., see Brando, E. 465
Viret, M., see Ranno, L. 291
Virovets, T.V., see Koroleva, L.I. 475
Vittori Antisari, M., see Fiorani, D. 159
Vlasák, G., see Butvin, P. 189
Vlasák, G., see Kaczkowski, Z. 199
v. Löhneysen, H., Heavy-fermion alloys at a magnetic instability 601
Voiron, J., see Driouch, L. 149
Vojtaník, P., J. Kravčák and R. Varga, Complex permeability after-effects in an annealed Co-based amorphous alloy 175
von Staa, F., K.A. Hempel, H. Artz, Y. Wang and J. Schneider, Magnetic properties of anisotropic Nd–Fe–B powder and magnets 23
von Staa, F., K.A. Hempel and H. Artz, On the magnetization processes of Nd–Fe–B powders prepared by HDDR 25
Vuillermoz, P.L., see Melquiond, F. 571
Vukadinovic, N., see Perrin, G. 289

Wagner, F.E., see Dubiel, S.M. 653
Wall, B., see Fernengel, W. 19
Wall, B., see Velicescu, M. 47
Wang, J., see Plugaru, N. 647
Wang, X.Z., see Tarnawski, Z. 663
Wang, Y., see von Staa, F. 23
Ward, R.C.C., see del Moral, A. 539
Wecker, J., see Handstein, A. 15
Weinstock, H., see Melquiond, F. 571
Wells, M.R., see del Moral, A. 539
Wendhausen, P.A.P., see Eckert, D. 93
Wendhausen, P.A.P., see Dempsey, N.M. 99
Wendhausen, P.A.P., see Müller, K.-H. 117
Wenzel, W., see Richter, J. 336
Wiesinger, G., see Kapusta, Cz. 109
Williams, A.J., see Ahmed, F.M. 59
Williams, A.J., see Hatch, G.P. 67
Williamson, S., see Baholo, B. 444
Wilton, D.T., see Shute, H.A. 577
Winiarska, A., see Drzazga, Z. 107
Wirth, S., see Hinz, D. 43
Woch, M., see Gawior, W. 207
Wojciechowski, S., see Leonowicz, M. 45
Wójcik, M., E. Jędryka, S. Nadolski, T. Stobiecki and M. Czapkiewicz, NMR study in amorphous CoZr thin film alloys 220
Wójcik, N., see Gawior, W. 207
Wolf, G., see Martín, V.E. 51
Wolf, M., see Eckert, D. 93
Wolfers, P., see Brando, E. 465
Wolfers, P., see Tobola, J. 708
Wyslocki, B., see Plusa, D. 338

Yamada, K., A. Kowata, K. Satoh, H. Koike and K. Yamaguchi, The magneto-optical and -transport studies of magnetic semiconductor EuSe in a high magnetic field up to 30 T 563
Yamaguchi, K., see Yamada, K. 563
Yamashita, F., see Fukunaga, H. 63
Yang, F.-M., see Plugaru, N. 647
Yartys, V.A., O. Gutfleisch and I.R. Harris, Hydrogen-induced phase and magnetic transformations in $Nd_{1.1}Fe_4B_4$ 119
Yasuda, T., see Takada, S. 455
Yatsyk, B.M., see Shcherba, I.D. 688
Yelon, A., see Ciureanu, P. 432
Yoo, Y.G., W.T. Kim, S.C. Yu and Y.D. Kim, Temperature dependence of magnetization in nanocrystalline Cu–Fe–Co alloys 233
Yoshimura, T., see Fukunaga, H. 63
Yu, C.H., see Chang, W.C. 89
Yu, S.-C., S.-M. Han, K.-Y. Kim and T.-H. Noh, Spin wave excitation on amorphous $Co_{80+x}TM_{12}B_{8-x}$ alloys 237
Yu, S.C., see Yoo, Y.G. 233
Yuseena, S.Yu., see Sever, G.N. 473

Zabala, N., see Gorria, P. 203
Zach, R., see Tobola, J. 708
Zaharie, I., see Mihalca, I. 161
Žák, T., Y. Jirásková, O. Schneeweiss, A. Sólyom and P. Marko, High temperature magnetization of 3.5% Si steel 453
Zangari, G., P. Bucher, N. Lecis, P.L. Cavallotti, L. Callegaro and E. Puppin, Magnetic properties of electroplated Co–Pt films 256
Zarek, W., Influence of Si, Al and C on the crystal structure and magnetic properties of $Sm_2Fe_{17}$ 91
Závěta, K., see Kraus, L. 151
Zaveta, K., see Basso, V. 217
Závišová, V., see Kopčanský, P. 587
Závišová, V., see Koneracká, M. 589
Zayarnaya, T.Ye., see Kurlyandskaya, G.V. 541
Zazo, M., see Hernández, P. 123

Zeller, R., see Hoshino, T. 717
Zemlyanski, S.V., see Baranov, N.V. 401
Zentko, A., see Zentková, M. 581
Zentková, M., J. Kováč, A. Zentko, A. Košturiak and A. Hudák, The spin-glass-like behaviour of Ni–xylenol orange complexes 581
Zhao, Z.G., see Tang, N. 397
Zhao, Z.G., see Li, Q.A. 399
Zhao, Z.G., see de Boer, F.R. 504
Zhou, L., see Valera, M.S. 555
Zhukov, A., C. Gómez-Polo, P. Crespo and M. Vázquez, Axial and transverse magnetization processes of glass-coated amorphous microwires 143
Żuberek, R., see Ślawska-Waniewska, A. 147
Zubov, V.E., A.D. Kudakov and A.I. Maslov, Magneto-optical investigation of the spatial magnetization distribution in a two-layer MIG head 297
Żukrowski, J., see Marzec, J. 413
Zvezdin, A.K., see Dobrovitski, V.V. 419
Żywucki, B., see Koneracká, M. 589

ELSEVIER

Journal of Magnetism and Magnetic Materials 157/158 (1996) 753–757

journal of magnetism and magnetic materials

# Subject index to volumes 157/158

*ac*-plane triangular structure 733
Ac resistivity 469
Ac susceptibility 272
Actinide 692
Additional gaps 297
Additive 487
AFMR 391
Alignment 597
Alloys 281
Amorphous 203, 237
Amorphous alloys 149, 156, 169, 175, 181, 183, 197, 217, 220, 229, 231, 241, 519, 635
Amorphous and crystalline alloys 243
Amorphous ferromagnets 167
Amorphous films 293
Amorphous hard magnetic rare earth intermetallics 535
Amorphous materials 227
Amorphous metallic glass ribbons 543
Amorphous microwires 143
Amorphous/nanocrystalline bilayer ribbon 211
Amorphous ribbons 173
Amorphous systems 171
Amorphous TbFe thin films 501
Amorphous wires 145
Amorphous wires and films 137
Angular dependence 376
Angular dependence of coercivity 338
Anisotropic magnetoresistance 690
Anisotropic materials 361
Anisotropic powder 15
Anisotropic superconductor 611, 671
Anisotropy 151, 177, 223, 389, 407, 512, 514, 516, 587, 690
Anisotropy, magnetocrystalline 107
Anisotropy – RE compounds 71, 109
Annealing 145
Annealing behaviour 189
Antiferromagnet 484
Antiferromagnetic resonance 496, 733
Antiferromagnetism 336, 403, 639, 641, 653
Antiferromagnets 391
Apparent permeability 447
Approximations 577
As-cast 67
ASW 715
Atomic force microscopy 545

Backward extrusion 41
Ball milling 231
Band calculations 723
Band structure 245
Band structure calculations 619, 715
Barium hexa-ferrite 125, 326
Barium surplus 268
Barkhausen effect 195
Barkhausen jump 143
*B–H* loop 211
Biased magnetization 455
Bilayer 336
Bilayer ribbons 156
Biomagnetism 593
Boride 119
Boron 119

Calcium 323
Canted structure 489
Carbide 89
Carbide compounds 121
Cation distribution in substituted-M-hexaferrites 465
Cellular structure 459
Cerium alloys 685
Chalcospinel 475
Charge- and spin-density waves 653
Chemical hydrogenation 73
Chemical nitrogenation 103
Chromium ions 165
Coercive field 376
Coercivity 99, 105, 117, 177, 209, 355, 713
Coercivity – angular dependence 67
Complex permeability 175
Composite magnet 61
Composite media 579
Compositionally modulated ferrites 264
Compressibility 381
Computer simulation 421, 565
Controlled segregation 215
Copper polarisation 313
Core loss 457
Critical field 675
$CrO_2$ tape 512
Crystal field 409, 663, 704
Crystal-field splitting 651
Crystal lattice distortions 659
Crystallization kinetics 161
Crystal structure 91, 405
Curie point 559
Curie temperature 203, 696
Curie temperature – pressure effects 694

3d anisotropy 504
Data storage 1
Dc sputtering 461
Dc susceptibility 627
$\Delta E$ effect 527
Defects 453
Deformation 33
Densification 487
Density of states 702
Deposition 299
Devitrification 159
Dielectric permittivity 587
Digital magnetic recording 262
Digitizer 451
Dip-coating 311
Dipolar interaction 351
Direct joule heating 63
Disk drives 1
Dislocations 459
Disordered magnetism 606
3d magnetism 343
Domain dynamics 345
Domain growth 345
Domains 309, 527
Domain structure 39, 67, 307, 315, 338, 457
Domain-wall displacement 97
Domain wall dynamics 353, 357
Domain walls 301, 355, 371, 419
Domain wall susceptibility 359

Doped barium hexaferrite films 295
Doping effects 415
Dzyaloshinskii–Moriya interaction 421

Easy direction 393
Eddy current loss 469
Effective exchange interaction energies 717
Effective medium theory 579
Elastic coefficients 537
Elastic constants 378
Elasticity moduli 199
Electrical machines 131
Electrical resistivity 601, 611, 624
Electrical steel 516
Electrolytic cylindrical multilayers 329
Electromagnetic wave theory 727
Electron hololgraphy 434
Electronic and magnetic structure calculations 417
Electronic energy spectra 243
Electronic structure 343, 595, 708, 719
Electron states 287
Energy gap 473, 637
Energy losses 428
Energy product 129
Enhanced stability 29
Environmental treatment 125
EPR 165, 493
Erbium iron garnet 523
ESR 499
EXAFS 501, 595
Exchange 301
Exchange – competing interactions 619
Exchange coupling 61
Exchange field 496
Exchange interactions 169, 285, 381, 523, 639, 647

Faraday effect 305
Faraday rotation 311, 323
Far-infrared spectrometer 550
Far-infrared spectroscopy 637
4f–3d interaction 504
γ-Fe 343
Fermi liquid effect 617
Ferrimagnetic 475
Ferrimagnetic intermetallic compounds 85
Ferrite garnet films 305
Ferrites 258, 415, 469, 487, 537
Ferrite spinels 489
Ferrofluids 585, 591
Ferromagnetic films 289, 480
Ferromagnetic ordering 694
Ferromagnetic resonance 281, 512, 533
Ferromagnetic thin film 223
Ferronematics 589
Field–temperature phase diagram 389
Films 299, 471
Fine particles 250, 264, 340
First-order magnetisation process 395, 643
Fluxgate 424, 449, 565, 591
Fluxgate sensors 442, 567
Flux line lattice 671
Flux loss 63
FOMP 87
Formation mechanism 49
Fredericksz transition 589
Free-powder magnetization 504
Frequency dependent susceptibility 266

Gadolinium ions 163
Garnet film 315
Garnets 309, 323, 471
Gas-atomized powders (GAPs) 49
Generators 131
Getter anneal 661
*G*-factor 281
Giant magnetoimpedance effect 432
Giant magnetoresistance 153, 260, 319, 401
Grain alignment 19
Grain-oriented FeSi steel 361
Grain oriented Si–Fe sheets 455
Grains 309
Grain size 209
Granularity 579
Gyromagnetic permeability 480
Gyromagnetism 289
de Haas–van Alphen effect 550

Hall effect 205, 213, 675
Hall sensor 440
Hard magnet 33, 385
Hard magnetic materials 35, 47, 51, 338
Hard materials 21
HDDR 17, 23, 25, 54, 99, 101
Heat capacity 561, 651
Heat treatment (influence) 199, 201
Heavy-fermion alloys 601
Heavy fermions 700
Heisenberg antiferromagnet 583
Helical 177
Hexaferrite 123, 258, 268, 311, 393
High coercivity 31
High-coercivity materials 376
High-field magnetism 409
High-field transitions 85
High frequency 461
High pressure 381, 613, 669
High Si alloys 428
High-$T_C$ 663
High temperature 453
High-$T_C$ superconductivity 673
High-$T_C$ superconductors 675
Hot rolling 43
Hybridization 169, 245
Hybrid magnets 27, 550
Hydrides 57, 119
Hydrogenation 127
Hydrogen decrepitation 15
Hydrogen-differential thermal analyser 17
Hydrostatic pressure 601
Hydrothermal synthesis 493
Hyperfine field 393
Hysteresis 33, 201, 205, 213, 353
Hysteresis loops 171
Hysteresis losses 366
Hysteresis model 361, 366

Incommensurate structures 389
Induced anisotropy 141, 179, 599
Induced magnetic anisotropy 519
Induction 457
Induction machines 444
Inhomogeneity, magnetic properties 303
In-plane field 357
Instability 309
Instrument current transformer 447
Interactions 250
Interface 293
Interface anisotropy 245
Interfacial rearrangements 276
Interlayer stress 211
Intermediate valence 677, 679
Intermetallic compounds 81, 117, 381, 389, 647, 698, 723
Intermetallic compounds – nitrides 103
Intermetallics 407, 692, 700
Interstitial compounds 113, 115, 121
Interstitial hydrides 73
Interstitial nitrides 103
Interstitials 85
Intrinsic anisotropy 525
Intrinsic properties 43
Inverse photoemission spectroscopy 287
Iron 119
Iron film 438
Iron loss 444
Iron oxides 272
Irreversible losses 45
Irreversible susceptibility 63
Isolated neuron 593
Itinerant magnetism 619, 702, 711, 721

Jahn–Teller effect 537

Kerr effect 205, 213
Kerr magneto-optic 171
KKR-CPA method 708
Kondo insulator 637
Kondo lattice 613, 679, 681, 683, 685

Laminar effects 463
LAPW 715
Laser 299
Laser ablation 258
Laser ablation deposition 531
Laves phases 413, 719
Laves phases compounds 651
Leakage fields 434
Light modulator 438
Linewidth 281
Liquid gas atomization 51
Local order 501
Long period commensurate structures 389
Long range magnetic order 715
Lorentz microscopy 39
Loss angle 447
Low-dimensional antiferromagnet 669
Low-dimensional systems 583
Low losses 461
$L_{III}$ X-ray absorption 688

Macroscopic quantum tunnelling 419
Magnetic aftereffect 63, 123, 175, 315
Magnetic aging 459
Magnetic alignment 83
Magnetic anisotropy 21, 85, 91, 179, 293, 329, 523, 541, 543, 624
Magnetic annealing 156
Magnetic behaviour 163
Magnetic circuit 65
Magnetic clusters 272, 319
Magnetic damping 145
Magnetic domains 467
Magnetic field 440
Magnetic field imaging 305
Magnetic field measurement 567
Magnetic films 303, 307
Magnetic fluid 587
Magnetic force microscopy 545, 555, 557
Magnetic form factor 708
Magnetic garnet 279
Magnetic hysteresis 347, 635
Magnetic hysteresis parameters 264
Magnetic imaging techniques 545
Magnetic impurities 725
Magnetic interactions 529
Magnetic liquid 599
Magnetic loss 455, 541
Magnetic measurements 569
Magnetic moment 696
Magnetic multilayers 283, 730
Magnetic multipole moments 579
Magnetic order 665
Magnetic ordering 581
Magnetic ordering (antiferromagnetic) 491
Magnetic phase diagram 349
Magnetic phase transitions 81, 167, 401, 539, 569, 706
Magnetic polarization 453
Magnetic probes 434
Magnetic properties 95, 153, 165, 189, 207, 211, 239, 381, 387, 463, 493, 624, 647, 649, 692
Magnetic recording 270, 577
Magnetic recording media 256, 266
Magnetic relaxation 183, 266, 351
Magnetic reversal process 285
Magnetic semiconductors 475, 561
Magnetic sensors 424, 436
Magnetic structure 523
Magnetic structures – noncollinear 619
Magnetic structures of substituted-M-hexaferrites 465
Magnetic susceptibility 559, 601, 637, 677, 688
Magnetic thin films 274, 321
Magnetic transitions 371
Magnetisation 127, 149, 637
Magnetisation process 347, 690
Magnetisation reversal 97
Magnetism in interface structures 287
Magnetite 415, 589
Magnetization 35, 91, 177, 197, 231, 405, 407, 601, 611, 631, 633
Magnetization measurements 723
Magnetization mechanisms 258
Magnetization processes 21, 25, 67, 93, 355, 399, 457
Magnetization quantum tunneling 266
Magnetization reversal 309, 373
Magnetoacoustic properties 482
Magnetoacoustic wave 477
Magnetocrystalline anisotropy 87, 510, 573, 643, 645, 655
Magnetocrystalline anisotropy field 83
Magnetoelastic coupling 539
Magnetoelastic effects 378
Magnetoelasticity 145, 156, 543
Magnetoelastic properties 181
Magnetoelastic sound generation 229, 482
Magnetoelectric effect 391
Magneto-impedance 137, 141
Magnetometer 567
Magnetometric 565
Magnetometry 442, 499, 571
Magneto-optical micromagnetometer 297
Magneto-optics 243, 256, 279, 283
Magnetoresistance 276, 291, 395, 675, 685, 690, 698
Magnetoresistors 424
Magnetostriction 133, 137, 147, 151, 181, 193, 201, 209, 451, 457, 501, 508, 516, 521, 527, 533, 535, 659
Magnetostriction constants 537
Magnetostrictive delay line 451
Magneto-thermopower 698
Magnetovolume effects 381
Magnets 49, 51, 101
Magnon 484
Maleev anisotropy 525
Manganates 291
Manganese ions 239
Matteucci effect 329
MBE-grown Fe/Cr multilayers 730
MCD 323
Mean field analysis 241
Measuring instruments 559
Measuring methods 369
Mechanical alloying 7, 15, 61, 79, 233, 235
Metal-bonded magnet 105
Metallic glasses 141, 179
Metallic multilayers 313
Metamagnetics 405
Metamagnetic transition 667, 704
Metglas® 2605 SC 531
Micromagnetism 363
Microstructure 37, 54, 95, 153
Microwave 727
Microwave applications 471, 480
MIG heads 297
Milling processes 117
Minor loops 366
Mixed-metal cyanoferrates 499
γ-Mn 343
Modelling 363
MOKE 317
Molecular-based magnets 417
Monte Carlo calculations 250
Monte Carlo simulation 345, 351
Mössbauer effect 173
Mössbauer spectroscopy 161, 317, 413, 519, 653, 655
Mössbauer spectroscopy – RE–TM compounds 510
Motors 131
Multilayer films 461
Multilayers 276, 293, 301, 317, 331
Multilayer structures 285

Nanocomposite magnets 29, 331
Nanocrystalline 11, 193, 213
Nanocrystalline alloys 147, 195, 197, 207
Nanocrystalline materials 61, 133, 151, 189, 235, 529
Nanocrystalline structure 321
Nanocrystallization 209
Nanocrystals 159, 203, 205
Nanomagnets 7
Nanostructures 79
Narrow-gap semiconductor 637, 715

Nd–Fe–B magnets 45, 54, 65
Near-field magneto-optical microscopy 545
Near-stoichiometric NdFeB 59
Néel temperature 669
Néel vector 340
Neodymium 119
Neutron depolarization 183, 525, 575
Neutron diffraction 655, 683, 708
Ni nanocluster 661
Niobium 59
Nitrides 76
Nitriding 101
Nitrogenation 117
NMR 186, 393, 411, 657
NMR experiments 717
NMR saturation 359
NMR spectroscopy 220
NMR – spin echo 71, 109
Noise 424
Noncollinear antiferromagnet 733
Noncollinear magnetic structures 241
Non-collinear structures 349, 411
Nondestructive evaluation (NDE) 571
Non-Fermi-liquid behavior 601
Nonlinear differential equations 727
NQR 681
Nucleation of reversed domains 338
Numerical micromagnetics 331

Offset thermostability 442
One-dimensional systems 421
Optics 243
ORD alloys synthesis 73
Order from disorder 336
Organic compounds 581
Organic conductor 550
Orientation 597
Oriented steels 463
Orthoferrite 496
Orthogonal magnetization 591
Oxide glasses 165, 239
Oxide superconductor 669

PAC experiments 717
Pair reorientation model 541
Paramagnetic range 563
Paramagnetism 272
Partial crystallization 217
Particles 97, 270, 597
Particle size 23
Peak magnetic field 455
Pendulum magnetometer 127
Permalloy 555
Permanent magnetism 713
Permanent magnet materials 71, 109
Permanent magnets 15, 19, 31, 37, 41, 43, 59, 67, 76, 93, 97, 99, 113, 115, 117, 131, 369, 521
Permeability 223, 289
Permeability disaccommodation 123
Perovskites 260, 291
Perovskite structure 491
Perpendicular anisotropy 501
Perpendicular magnetic recording 262
Phase angle 447
Phase transition 489
Photoconductivity 473
Photo-EMF 473
Piezomagnetic coefficient 181
Planar structures 482
Planar waveguides 283
Plastic deformation 459
Playback spectrum 297
Point-contact tunneling 637
Polarizability 484
Polarized neutron reflectometry 317
Polar Kerr effect 700
Polymer 508
Polynuclear compounds 595
Position measurement 438
Powder X-ray measurements 499
Power ferrites 366
Preisach model 217
Pressure effect 81, 677, 702, 711
PRML system 262
PSPICE 565
Pulsed fields 573
Pulsed laser deposition 291

Quantum disorder 336
Quantum fluctuations 336
Quantum tunneling 340, 635
Quasi-one-dimensionality 733
Quasistochastics 357

Radial orientation 41
Radiation defect 279
Raman scattering 484
Random anisotropy 133, 149, 173, 225, 713
Random magnetic anisotropy 535
Random systems 421
Rapidly quenched flakes 105
Rapidly quenched powder 63
Rapid solidification 37, 432
Rare earth 173
Rare earth compounds 659, 665, 675, 719
Rare earth intermetallic compounds 87, 93, 624, 649
Rare-earth ion 496
Rare earth magnets 11, 57
Rare earth oxides 491
Rare earth permanent magnets 1, 7
Rare-earth superlattices 539
Rare earth–transition metal alloys 376
Rare earth–transition metal compounds 35, 91, 107, 381, 405, 409, 413, 615, 627, 631, 633, 645
Rare earth–transition metal magnets 373
Rare-earth transition-metal ternary compounds 622
Ratio error 447
Recoil curves 529
Recrystallization 453
Re-entrant ferromagnetism 641
Reentrant spin glass 475
Relaxation processes 585
Relaxation time 657
Remanence 105
Remanence enhancement 7, 11, 27, 61, 79, 331
Remanent polarization 19
Resistivity 260, 637, 665
RE–TM alloys – interstitial nitrides 510
RE–TM amorphous alloy 161
Ring magnets 41
R–Mn intermetallics 639
Robotics 436
Rolling 459
R–T exchange interaction 397, 399
RTX compounds 387

Saturation magnetization 233, 321
Scanning electron microscopy 611
Scanning tunneling microscopy 545
sd electron scattering in multilayers 730
Second harmonic generation 307
SEM 95
Short range order 220, 563
Silicon steel 453, 527
Silicon steel sheets 457
Simulation 673
Single crystal 675
Single-crystal growth 611
Single-domain 97
Singular point detection 573
Sintered magnets 67
Skin effect 137
Small magnetic particles 351
Small metal particles 725
Small particles 599
Soda borate glasses 163
Soft ferromagnetic nanocomposites 215
Soft magnetic 193
Soft magnetic alloys 209
Soft magnetic fibers 432
Soft magnetic materials 227, 467, 519, 555
Soft magnetic thin films 557
Solid HDDR 54, 59
Spatial structure 595
Specific heat 401, 403, 409, 583, 601, 613, 649, 663

Specific heat, low-temperature 491
Spectral response 577
Spectroscopic splitting factor 237
Spectrum analyzer 449
Spin correlations 421
Spinels 258
Spin fluctuations 615, 627, 629, 631, 633, 696, 711, 721
Spin fluctuation temperature 677
Spin glass 272, 475, 606, 619, 673, 713
Spin-glass-like behaviour 581
Spin Hamiltonian 523
Spin-lattice relaxation 681
Spin-Peierls 550
Spin-polarization energy 717
Spin reorientation 21, 659
Spin reorientation transitions 371
Spin state 595
Spin-valve magnetoresistive effect 285
Spin wave excitation 237
Spin wave spectrum 482
Spin wave stiffness constant 233
SQUID 317, 571
SQUID susceptometry 561
Static magnetic fields biological effects 593
Statistical domains 361
Statistical theory 421
Steel 571
STM 303
Stochastic processes 353
Stoichiometry 268
Stoner enhancement factor 702, 711
Stray field energy 467
Stress-annealing 519
Stress dependence 203
Strontium ferrites 123
Structural analysis 220
Structure 33, 173
Superconducting materials 550
Superconductivity 571
Superconductor 440, 704
Superparamagnetism 191, 272
Surface anisotropy 245
Surface magnetic properties 159
Surface roughness 274
Surfaces 514
Susceptibility 177, 411, 421, 585, 615, 631, 633, 696
Susceptibility maximum 617
Switching field 369
Synthesis 125

$TbCu_7$-type structure 99
TEA $CO_2$ 531
TEM 153, 205
Tension 459
Tensorial tomography 575
Terfenol-D 508
Ternary rare-earth compounds 387
Tetragonal distortion 343
Texture 57
Texture determination 41, 43
Thermal expansion 629, 679
Thermally activated demagnetization 363
Thermodynamics 421
Thermomagnetic relaxation 191
Thermomechanical treatment 541
Thermopower 698
Thin ferrite film 477
Thin films 220, 245, 258, 281, 291, 309, 514, 531
Thin films, bi-layer 326
Thin films, single layer 326
Time-dependent phenomena 191
Time effects 270
TM–RE alloys 225
Torsion pendulum 25
Transition metal carbide-dispersed Fe-based alloy powder 235
Transport in multilayers 730
Transverse Kerr effect 438
Two-dimensional magnetism 721
Two-phase magnets 129

Upset forging 67
Uranium intermetallics 694

Valence state 688
Vanadium 37
Vector magnetization measurements 671
Verwey transition 415
Visualization of magnetic domains 575
Volume dependence 694

Weak ferromagnet 419

XANES 595, 685
X-ray diffraction 659
X-ray magnetic circular dichroism 313
*XY* model 421

YIG 323
YIG ferrite films 727

Zener relaxation 541
Zn-coating 105

ELSEVIER

Journal of Magnetism and Magnetic Materials 157/158 (1996) 759–760

journal of magnetism and magnetic materials

# Materials index to volumes 157/158

$Ag/Fe(100)$ 287
Al 725
Au–Co 153

$BaCo_xTi_yFe_{12-x-y}O_{19}$ 295
$Ba(Fe,Co)_2$ 393
$BaFe_{12-2x}Ir_xMe_xO_{19}$ (Me = Co,Zn) 465
Barium hexaferrite 125

Ca:YIG 323
$Ce(Ag_xCu_{1-x})_2Sb_2$ 683
$CeCu_5$ 613
$Ce_2Fe_{17}N_x$ 186
$Ce(In_{1-x}Sn_x)_3$ 677
$CeNi_5$ 627
$CeNi_xPt_{1-x}$ 685
$CePd_2Ga_3$ 681
Co 47, 137, 141, 175
$Co/Au_{1-x}Cu_x$ 276
$Co_{77}B_{23}$ 183
Co/Cu 313
Co–Dy–B 149
$Co_{1-x-y}Fe_xZr_y$ 223
$Co_2(OH)(AsO_4)$ 493
CoP 329
CoPt 256
$Co_{72.5}Si_{12.5}B_{15}$ 145
$Co_{66}Si_{16}B_{14}Fe_3Ni_1$ 179
Co–Ti doping 295
$Co_{80+x}TM_{12}B_{8-x}$ 237
CoZr 220
$CrO_2$ 266, 512
$xCr_2O_3(1-x)[Bi_2O_3\ PbO]$ 165
$CsMnCl_32H_20$ 484
$CsMnI_3$ 733
Cu 47
$Cu(C_{10}H_8N_2)_2Ag_2(CN)_3$ 583
$Cu(C_2H_8N_2)_2SO_3$ 583
$Cu_{1-x}Co_x$ 319

$DyCo_{10-x}Ni_xSi_2$ 397
$(Dy_xEr_{1-x})Fe_{11}Ti$ 111
$DyFe_{12-x}V_x$ 107
$DyNi_2$ 651

$Er_2Fe_{17}C_x$ 85
$Er_3Fe_5O_{12}$ 523
$Er_3Ni$ 405
$ErNi_2B_2C$ 704, 706
EuSe 563

Fe 211
(Fe,Mn)Si 715
Fe–Al 231
$Fe_{3-z}Al_zO_3$ ($z < 0.06$) 415
$Fe_{80}B_{20}$ 159
Fe–B 171
$Fe_xCo_{1-x}$ 281
$(FeCo)_{3.34}Ge_2$ 655
$Fe_{25}Co_{60}B_{15}$ 519
$Fe_{64}Co_{21}B_{15}$ 183
Fe–Co–Cu 233
Fe–Co–Si–B 243
Fe/Cr 730
Fe–Cr–Cu–Nb–Si–B 195
$Fe_{74-x}Cr_xCu_1Nb_3Si_{13}B_9$ ($0 < x < 17$) 205
$Fe_{74-x}Cr_xNb_3Cu_1Si_{13}B_9$ 197
$Fe_{1-x}Cr_{2(1-x)}Sn_{2x}S_3$ 475
Fe/Cu 313
$Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ 186, 199
$Fe_{73.5}Cu_1Nb_3Si_{15.5}B_7$ 201
$Fe_{76.5-x}Cu_1Nb_xSi_{13.5}B_9$ 193
$Fe_{82.5-x}Cu_1Nb_3Si_{13.5}B_x$ 207
Fe–Cu–Nb–Si–B 133, 199, 201
$Fe_{73.5}Cu_1Nb_{3-x}U_xSi_{13.5}B_9$ ($x$ = 1,2,3) 213
Fe–(Cu–U)–Si–B 321
$Fe_{77}Gd_3B_{20}$ 161
Fe–Nb 203
$Fe_{73.5}Nb_3Cu_1Si_{13.5}B_9$ 151
Fe–Nb–Cu–Si–B 189
Fe–Nd–B 45, 49, 67
$\alpha$-$Fe/Nd_2Fe_{14}B$ 29
Fe–Ni 167
Fe–Ni/Cu/Fe–Ni/Fe–Mn 285
Fe–Ni–Si–B 167
$Fe_2P$ 250
Fe–RE–B 173
Fe–Rh 401
Fe–Si 361, 428, 541, 617, 637, 711
Fe(Si) 378
$Fe_{77.5}Si_{7.5}B_{15}$ 229
$Fe_{100-x}Sm_x$ 225
$Fe_{80-x}Sm_xB_{20}$ 225
Fe–TM–C (TM = Ta, Hf, W, Mo, Nb, Zr, Ti) 235
Fe–Zr 203
Fe–Zr–B(Cu) 147

$(Gd,La)Mn_2(Ge,Si)_2$ 639
$Gd(Al_{1-x}M_x)_2$, M = V, Ti 719
$Gd_2CuO_3$ 391
$Gd_xLa_{1-x}MSi$ (M = Fe, Co) 387
$xGd_2O_3(1-x)Na_2O\ 2B_2O_3$ 163
$Gd_{1-x}Pr_xBa_2Cu_3O_{7-y}$ 675
Gd–T (T = Co,Fe) 169
$Gd_2Zn_{17}$ 403

$HgCr_2Se_4$ 473

$KMFeF_6$ 411

$La_{1-x}A_xMnO_3$ (A = Ca,Ba,Sr) 291
$La_2CuO_3$ 669
La–L–Ca–Mn–O (L = Y,Gd) 260
$LaPd_2Ga_3$ 681

$Me_4[Fe(CN)_6]_1 \cdot mH_2O$ (Me = 3d transition metal) 499
Mn 537
MnGaGe 721
MnPtAl 395
$Mn_2Sb$ 401
MnSi 711

Nb–Fe–B 59
Nb–Fe–Co–B 29
(Nd,Dy)–Fe–B 47
$NdAlO_3$ 491
$NdCu_2$ 657
$Nd_2(Fe,Co)_{14}B$ 215
$Nd_xFe_{94-x}B_6$ 31

$Nd_{1.1}Fe_3B_3$ 119
Nd–Fe–B 15, 17, 19, 23, 25, 30, 39, 41, 43, 51, 57, 59, 61, 63, 65, 373
Nd–Fe–B:Zr 54
Nd–Fe–B–Al 37
Nd–Fe–B–Nb 338
Nd–Fe–B–X (X = Cu, Si, NbCu, Zr) 61
NdFeCoB 29
$Nd_2Fe_{14-x}M_xC$ 35
$Nd(FeTi)_{12}$ 81
$Nd_2(FeTi)_{17}$ 81
$NdNi_2$ 651
$NdNi_5$ 407
$NdNi_{1-x}Cu_x$ 624
Ni 581
Ni–Co 274
Ni–Fe 461

$Pd_2TiX$ (X = Ga, Al, In, Sn) 723
Pr–Fe–B–Cu 69
PrFeBCu 67

$REBaSrCu_3O_7$ (RE = Sm, Nd, Dy, Er) 663
$RE_3Co$ 635
$RECo_3Al$ (RE: Y, Gd, Ho) 643
$RE_3Co_{11}B_3$ 633
$RECo_3B_2$ 649
$RECo_3B$ (RE: Y, Gd) 643
$RE_{n+1}(Co_{1-x}Fe_x)_{3n+5}B_{2n}$ ($n$ = 2,3 and RE = Y, Pr) 645
$RECo_{10}Si_2$ (RE = Y, Dy, Ho, Er, Tm) 399
$RECo_9Si_2C_x$ (RE = Y, Nd, Sm) 121
$RE_2Cu_2O_5$ 667
$RE_2Fe_{17}$ 83
$REFe_{1-x}Al_xO_3$ (RE = Gd,Tb) 496
REFeB 127
$RE_2Fe_{14}B$ (RE = Nd,Y) 71
$RE_3Fe_{29-x}M_x$, RE = Y,GD and M = V,Ti 383
$REFe_{10.5}Mo_{1.5}$ (RE = Dy,Er) 21
$REFe_{10.5}Mo_{1.5}C_{1.0}$ 115
$RE_3(FeTi)_{29}$ (RE = Pr, Nd, Gd, Tb) 381
$RE_2(FeTi)_{17}$, RE = Y, Nd 87
$REMn_2$ 413
$RERu_2X_2$ (X = Si, Ge) 389
$RE_2T_{14}B$ 373
$RFe_{10.5}Mo_{1.5}X_x$, X = H,C,N, $0 \le x \le 1$ 113
$RE(T,M)_{12}$, T = Fe,Co, M = Ti,V,Mo,Si 504
$RET_{10}Si_2$ 397

Si 453
Si–Fe 455, 457
$(Sm,Zr)(Co,Cu,Fe)_z$ 376
$SmCo_5$ 67, 521, 529
$Sm_2Fe_{17}$ 76, 91
$SmFe_2$ 659
SmFeCo 529
$Sm_2Fe_{17-x}Ga_xC_y$ 95
$SmFe_{12-x}M_x$ (M = Ti,Mo) 109
$Sm_2Fe_{17}N_3$ 93, 97, 99
Sm–Fe–N, Zn 105
$Sm_2Fe_{17}N_x$, $x \approx 4$ 510
$Sm_2(Fe_{0.97}Nb_{0.03})_{17}$ 101
$Sm_2Fe_{17}N_3$/Fe 79
Sm–Fe–Ta 76
$Sm_3(Fe_{0.93}Ti_{0.07})_{29}N_x$ 117
$Sm_1Ru(Rh)_1Ge(Si)_1$ 665
$Sm_1Ru(Rh)_2Ge(Si)_2$ 665

Tb–Co–B 241
Tb–Fe 293
Tb/Fe 317
$Tb_xFe_{1-x}$ ($0.1 < x < 0.55$) 501
$TbFe_{12-x}Ga_x$ ($x$ = 6,7) 385
$Tb_2(Fe_xNi_{1-x})$ 535
$TbNi_2$ 651
$TeO_2$–PbO–$B_2O_3$ 239
$ThFe_{3-x}Al_x$ 641
$ThMn_{12}$ 504
$Th_2Zn_{17}$ 89
$TmNi_5$ 409

$UFe_3Al_8$ 690
$UFe_6Ga_6$ 692
$U(Ga_{1-x}Sn_x)_3$ 702
$U_{1-x}La_xAl_3$ 696
UNiGa 700
$U_2Ni_2Sn$ 698
$URuAl_{1-y}Sn_y$ 694
$URu_{1-x}Rh_xAl$ 694
$U_{1-x}Y_xAl_3$ 696

$YBa_2(Cu_{1-x}Ni_x)_3O_y$ 661
$YbCu_3Ag$ 679
$YbCu_3Au$ 679
$Yb_2Zn_{17}$ 403
$Y_3Co_{11-x}Fe_xB_3$ 647
$Y_3Co_{11-x}Ni_xB_3$ 631
$Y_2Fe_{17-x}M_xC_y$ (M = Ga, Al, Si) 89
$Y_6(Mn_{1-x}Fe_x)_{23}$ 629
$YNi_5$ 627
Y–Ni–B–C 622
$YNi_2B_2C$ 611
$YNi_{5-x}Cu_x$ 615
$(YSmCa)_3(FeGe)_5O_{12}$ 315